Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 1 of 19)

Pa	Location				HR-1310 HR-13	31Q			HR-1310 HR-1 QY0	31Q			HR-131C HR-13	31Q			HR-1440 HR-1	44Q	
	Number				13-Au								13-Au				23-Ji		
	le Date				13-Au				13-Au 1 -				13-Au 3 -				23-01		
	epth (Feet)		b				. 0001		<u> </u>		. 0001			<u> </u>	- CCCI	D14	Qual	>BKG	>SSSL
Parameter	Units	BKGª	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Quai	/ PRG	2000L
METALS		4.005.04	7.80E+03	1.59E+04		YES	YES	1.28E+04		T	YES	1.64E+04		YES	YES	1.71E+04		YES	T YES
Aluminum	mg/kg					150	150	4.56E+00		YES	YES	ND		153	IES	ND ND		1 1 2 3	123
Antimony	mg/kg			ND .			VEO		J	TES	YES	3.59E+00			YES	4.87E+00			YES
Arsenic	mg/kg	1.83E+01		3.57E+00			YES	4.00E+00 1.01E+02			TES	6.40E+01			IEO	5.18E+01		 	1 1 2 3
Barium	mg/kg		5.47E+02	2.02E+02	·	VC0			,		ļ	3.90E-01				ND		 	
Beryllium	mg/kg	8.60E-01		1.04E+00	J	YES		4.98E-01	J				J			ND ND		<u> </u>	
Cadmium	mg/kg	2.20E-01		ND		VE0		ND 0.545.00		<u> </u>		ND 4.405+00				1.40E+02			
Calcium	mg/kg	6.37E+02 3.83E+01	NA 0.005+04	6.72E+02		YES		2.51E+02				1.12E+02				1.40E+02 1.83E+01		 	
Chromium	mg/kg		1.47E+01				1.90E+01		ļ		1.82E+01				1.83E+01 4.42E+00		 	+	
Cobalt	mg/kg	1.75E+01		8.93E+00				8.51E+00		- VEC	ļ	3.74E+00					J	ļ	-
Copper	mg/kg		3.13E+02	8.76E+00				2.06E+01		YES		7.07E+00			E	9.08E+00		ļ	
Iron	mg/kg	4.48E+04		1.61E+04			YES	2.19E+04			YES	1.66E+04			YES	2.94E+04			YES
Lead	mg/kg	3.85E+01		3.13E+01				1.13E+02		YES		8.69E+00				2.03E+01	J	ļ	
Magnesium	mg/kg	7.66E+02		6.02E+02				4.48E+02				6.71E+02				4.50E+02			
Manganese	mg/kg		3.63E+02	2.38E+03		YES	YES	8.19E+02			YES	2.56E+02				3.28E+02		1,450	
Mercury	mg/kg			4.90E-02	J			5.29E-02	J			5.56E-02	J			7.66E-02	J	YES	
Nickel	mg/kg	1.29E+01		9.13E+00				5.69E+00				6.03E+00				5.86E+00			
Potassium	mg/kg	7.11E+02		6.45E+02				7.55E+02		YES		4.90E+02		1.000		3.43E+02			
Selenium	mg/kg		3.91E+01	1.27E+00		YES		9.23E-01	J	YES		8.01E-01	J	YES		1.59E+00	В	YES	
Silver	mg/kg	2.40E-01		ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02		2.84E+01	J			3.05E+01	J		ļ	3.15E+01	J			ND			
Thallium	mg/kg	1.40E+00		ND				ND				ND				ND			1
Vanadium	mg/kg		5.31E+01	2.00E+01				2.15E+01				2.56E+01			ļ	2.87E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.98E+01	J			1.67E+01	J			1.78E+01	J	<u> </u>	<u> </u>	1.49E+01	J		
VOLATILE ORGANIC COMPOUN														,				,	
2-Butanone	mg/kg	NA	4.66E+03	NA				NR				NR				NR		ļ	
Acetone	mg/kg	NA	7.76E+02	NA				NR				NR				NR		ļ	
Toluene	mg/kg	NA	1.55E+03	NA				NR				NR				NR		<u> </u>	
p-Cymene	mg/kg	NA	1.55E+03	NA				NR				NR			<u> </u>	NR		<u> </u>	
SEMIVOLATILE ORGANIC COM	POUNDS																	,	
Fluoranthene	mg/kg	NA	3.09E+02	NA				NR				NR				NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NA				NR .		<u> </u>		NR		<u> </u>		NR			
PESTICIDES																·			·
4,4'-DDT	mg/kg	NA	1.79E+00	NA				NR				NR				NR		<u> </u>	<u> </u>
Dieldrin	mg/kg	NA	3.88E-02	NA				NR				NR				NR		ļ	
Heptachlor	mg/kg	NA	1.40E-01	NA				NR				NR				NR		<u> </u>	
alpha-Chlordane	mg/kg	NA	1.69E+00	NA				NR				NR				NR		ļ	
gamma-Chlordane	mg/kg	NA	1.69E+00	NA				NR				NR				NR			<u></u>
EXPLOSIVES																			
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	2.80E-01	J			ND				ND				ND			

Table 2-4

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 2 of 19)

F Samp Sam	le Location Parcel le Number iple Date Depth (Feet)				HR-1440 HR-1 QM0 23-Ju 2 -	44Q 004 II-02			HR-1440 HR-1 QM0 23-Ju	44Q 006 I-02			HR-1440 HR-1 QM0 24-Ju	44Q 008 II-02			HR-1440 HR-1 QM0 23-Ju	44Q 011 ıl-02	
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	1 Omics 1	DICO	0002	result	Quui	1 - 5,10	1.0002	recuit	- Guui	- 5.10	1 0002	, .count		- 5.1.0	1 000-	1 1100011			1 000-
Aluminum	ma/ka	1.36E+04	7.80E+03	1.70E+04		YES	YES	7.62E+03				1.42E+04		YES	YES	1.88E+04		YES	YES
Antimony	ma/ka	1.31E+00	3.11E+00	ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	5.66E+00			YES	3.20E+00			YES	3.48E+00			YES	3.72E+00			YES
Barium	mg/kg	2.34E+02	5.47E+02	6.51E+01				5.02E+01				1.70E+02				7.55E+01			
Bervllium	mg/kg 8.60E-01 mg/kg 2.20E-01				J			ND				9.93E-01	J	YES		ND			
Cadmium	mg/kg 2.20E-01							ND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1.70E+00		YES		ND			
Calcium	mg/kg 6.37E+02							1.01E+04		YES		5.92E+02				1.67E+02			
Chromium	mg/kg 3.83E+01							7.97E+00				9.95E+00				1.30E+01			
Cobalt	mg/kg 1.75E+01				J			1.34E+00	J			6.30E+00	J			3.39E+00	J		
Copper	mg/kg	1.94E+01	3.13E+02	1.91E+01				2.02E+01		YES		9.50E+00				7.43E+00			
Iron	mg/kg	4.48E+04	2.34E+03	2.06E+04			YES	1.14E+04			YES	1.19E+04			YES	1.41E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	1.74E+02	J	YES		3.93E+01	J	YES		1.47E+01	J			1.36E+01	J		
Magnesium	mg/kg	7.66E+02	NA	5.89E+02				5.78E+03		YES		5.35E+02				7.23E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	2.80E+02	J			1.56E+02	J			1.09E+03	J		YES	1.73E+02	J		
Mercury	mg/kg	7.00E-02	2.33E+00	6.13E-02	J			3.28E-02	J			6.00E-02	J			7.18E-02	J	YES	
Nickel	mg/kg	1.29E+01	1.54E+02	8.00E+00				3.00E+00				6.14E+00				6.27E+00			
Potassium	mg/kg	7.11E+02	NA	4.30E+02	J			8.04E+02		YES		3.84E+02	J			5.39E+02	J		
Selenium	mg/kg	4.70E-01	3.91E+01	9.02E-01	В	YES		ND				9.43E-01	В	YES		9.60E-01	В	YES	
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	ND				2.64E+01	J			2.19E+01	J			ND			
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	2.77E+01				1.06E+01				1.43E+01				2.24E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	2.77E+01	J			1.89E+01	J			2.42E+02	J	YES		2.26E+01	J		
VOLATILE ORGANIC COMPO	UNDS	,																	
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				1.10E-02				NR			
Acetone	mg/kg	NΑ	7.76E+02	NR				NR				1.90E-01	J			NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				ND			<u> </u>	NR			
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				ND			<u> </u>	NR			
SEMIVOLATILE ORGANIC CO	MPOUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				ND			<u> </u>	NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR			<u> </u>	ND				NR			
PESTICIDES																			
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				ND				NR			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				ND		L		NR		ļ	
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				1.10E-03	J			NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				ND				NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				ND		1	<u> </u>	NR		<u> </u>	
EXPLOSIVES						γ	,			,					·			T	
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND ND				2.50E-01	J			ND		L	ļ	ND		ļ	
2-Amino-4,6-dinitrotoluene							1	ND		<u> </u>	1	ND		<u> </u>	<u> </u>	ND		<u></u>	

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 3 of 19)

Sample L Parc Sample N Sample Sample	el lumber Date				HR-1450 HR-14 QR00 22-Ju 1 -	45Q 002 I-02			HR-1450 HR-1 QR0 22-Ju 1 -	45Q 004 I-02			HR-1450 HR-1 QR0 22-Ju 2 -	45Q 006 II-02			HR-1450 HR-1 QR0 23-Ji 2 -	45Q 008 II-02	
Parameter	Units	BKGª	SSSL ^b	Result	Qual	- >BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	, Oille	5.10	0002	7,000.0										l	·			1	
Aluminum	mg/kg	1.36E+04	7.80E+03	7.48E+03				2.49E+04		YES	YES	2.51E+04		YES	YES	1.70E+04		YES	YES
Antimony	ma/ka	1.31E+00		ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	2.06E+00			YES	1.29E+01			YES	4.67E+00			YES	5.33E+00			YES
Barium	mg/kg	2.34E+02	5.47E+02	1.52E+02				7.33E+01				6.62E+01				9.04E+01			
Beryllium	mg/kg	8.60E-01	9.60É+00	5.36E-01	J			7.81E-01	J			4.32E-01	J			5.06E-01	J		
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA	5.88E+02				1.14E+02	J			1.32E+02				1.33E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	5.20E+00				2.57E+01			YES	1.58E+01				1.46E+01			
Cobalt	mg/kg	1.75E+01	4.68E+02	4.69E+00				9.05E+00				3.05E+00				4.52E+00			
Copper	mg/kg	1.94E+01	3.13E+02	5.43E+00				1.19E+01				1.04E+01				8.54E+00			
Iron	mg/kg	4.48E+04	2.34E+03	6.59E+03			YES	6.08E+04		YES	YES	1.78E+04			YES	2.13E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	3.94E+01		YES		1.87E+01				9.45E+00				1.11E+01			
Magnesium	mg/kg	7.66E+02	NA	4.77E+02				6.73E+02				9.84E+02		YES		7.48E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	6.71E+02			YES	2.64E+02				9.01E+01				2.98E+02			
Mercury	mg/kg	7.00E-02	2.33E+00	8.23E-02	J	YES		7.39E-02	J	YES		8.31E-02	J	YES		5.55E-02	J		
Nickel	mg/kg			4.26E+00				6.23E+00				7.96E+00				7.67E+00			
Potassium	mg/kg	7.11E+02		1.04E+03		YES		6.24E+02				9.34E+02		YES		1.30E+03		YES	
Selenium	mg/kg	4.70E-01	3.91E+01	8.10E-01	J	YES		3.75E+00		YES		1.34E+00		YES		1.37E+00		YES	
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	ND				2.59E+01				2.40E+01	J			2.36E+01	J		
Thallium	mg/kg	1.40E+00		ND				1.00E+00	J		YES	ND				ND			
Vanadium	mg/kg	6.49E+01		7.97E+00				3.89E+01				2.61E+01				2.40E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.23E+01				3.09E+01				2.61E+01			<u></u>	1.68E+01		ļ	
VOLATILE ORGANIC COMPOUNI	DS																		
2-Butanone	mg/kg	NA	4.66E+03	NR			,	NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR		<u> </u>	
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR		<u> </u>	<u> </u>	NR		İ	
SEMIVOLATILE ORGANIC COMP	OUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR			<u> </u>	NR			
PESTICIDES																		,	
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				NR		ļ	
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR			<u> </u>	NR		ļ	
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR		1		NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR			1	NR		ļ	
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR		l	L	NR	l	<u> </u>	<u> </u>	NR		L	
EXPLOSIVES										,				·		······		·	
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND		ļ	
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND			<u> </u>	ND		L		ND	<u> </u>	l		ND		<u> </u>	

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 4 of 19)

Parc Sample N	Sample Location Parcel Sample Number Sample Date Sample Depth (Feet) Parameter Units BKG ^a S					I-MW02 45Q 011 I-02			HR-1460 HR-1 RK00 1-Aug	46Q 002			HR-1460 HR-1 RK0 6-Au	46Q 004 g-02			RK0 1-Au	146Q 0006 ig-02	
	, ` ` 				3 -				1 -		r		2 -				2 -		
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS		1	- aa- aa	1 005 011		\/E0	1/50	7 005 00				0.705:00	·		YES	9.28E+03		Т	TYES
Aluminum	mg/kg		7.80E+03	1.69E+04		YES	YES	7.38E+03				9.72E+03			1 YES	9.28E+03		 	YES
Antimony	mg/kg		3.11E+00	ND ND			\/E0	ND			YES	ND 3.33E+00	ļ		YES	2.54E+00		 	YES
Arsenic	mg/kg		4.26E-01	1.47E+00			YES	5.36E+00			YES	6.28E+01	ļ		YES	1.33E+02		 	YES
Barium	mg/kg		5.47E+02	4.85E+01				1.98E+02		ļ			J		ļ	6.79E-01		 	
Beryllium	mg/kg	8.60E-01	9.60E+00	ND				8.08E-01	J			ND		 		ND	J		
Cadmium	mg/kg	ļ	6.25E+00	ND				ND 4.405.00				ND 0.755 : 00	ļ	 	ļ	2.33E+02			
Calcium	mg/kg		NA	7.31E+01)			1.48E+02				3.75E+02		ļ		5.50E+00		 	
Chromium	mg/kg		2.32E+01	1.46E+01				1.65E+01		1/50		1.02E+01	J			3.96E+00		 	—
Cobalt	mg/kg	1.75E+01	4.68E+02	1.62E+00				2.12E+01	J	YES		2.39E+00		ļ	ļ		J		
Copper	mg/kg		3.13E+02	8.23E+00			1/50	1.57E+01			VE0	7.81E+00		ļ	VE0.	7.51E+00			YES
Iron	mg/kg		2.34E+03	5.74E+03			YES	2.42E+04		1/50	YES	1.30E+04		ļ	YES	7.61E+03 2.27E+01		 	1 IES
Lead	mg/kg			9.69E+00				4.03E+01		YES		1.61E+01			ļ	3.41E+02			├ ──
Magnesium	mg/kg		NA	4.79E+02				2.61E+02		\/F0		4.16E+02				9.45E+02		 	YES
Manganese	mg/kg			6.30E+01				1.98E+03		YES	YES	7.21E+01 4.83E-02	J		ļ	9.45E+02 5.87E-02		 	YES
Mercury	mg/kg		2.33E+00	5.16E-02	J			3.73E-02	J			4.83E-02 3.81E+00	J		ļ	3.26E+00	J	 	
Nickel	mg/kg		1.54E+02	4.16E+00				9.47E+00				3.81E+00 2.46E+02		ļ	ļ	3.26E+00 3.23E+02	1		
Potassium	mg/kg		NA	5.70E+02				3.26E+02		\/F0		5.58E-01		YES	ļ	9.45E-01		YES	
Selenium	mg/kg		3.91E+01	ND				1.45E+00	В	YES			J	YES	ļ	9.45E-01 ND	В	1 IES	
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND 2.62E+01			ļ	ND		+	
Sodium	mg/kg		NA 5 005 01	ND				ND			VE0.		J			ND ND			
Thallium	mg/kg			ND				8.58E-01	J		YES	ND 1.60E+01			ļ	8.50E+00			
Vanadium	mg/kg							1.75E+01			ļ	1.60E+01 1.63E+01		<u> </u>	 	1.21E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.60E+01		L		2.41E+01		L	l	1.63E+01	J	L	J	1.21E+01	L	<u> </u>	
VOLATILE ORGANIC COMPOUND		,	1 005 00							1	ı	NR			T	NR NR		т	T
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR NR		ļ		NR NR		 	
Acetone	mg/kg	NA	7.76E+02	NR				NR						 	ļ	NR NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR NR		ļ	ļ	NR NR		+	1
p-Cymene	mg/kg	NA	1.55E+03	NR			L	NR		L	<u> </u>	I NK	l	L	<u> </u>	INK	L	J	
SEMIVOLATILE ORGANIC COMP										Υ		N.S.		T	т	NR NR		T	T
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR NR			 	NR NR		 	
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR			l	NR				I NK			<u> </u>	INF	L		
PESTICIDES			4 705 . 00	- tip T				l ND				NR		T	1	T NR		T	
4,4'-DDT	mg/kg	NA NA	1.79E+00	NR				NR					-		 	NR NR		+	+
Dieldrin	mg/kg	NA	3.88E-02	NR				NR NR				NR NR			 	NR NR		+	
Heptachlor	mg/kg	NA	1.40E-01	NR						 		NR NR			 	NR NR		+	
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR		ļ		NR NR				NR NR		+	
gamma-Chlordane	mg/kg	NA	1.69E+00	NR		L		NR		L	l	INK	L	L	1	INK			
EXPLOSIVES			0.075.01	ND 1		г	г	I ND			1	ND	Γ		т-	ND	r		Т
2,4-Dinitrotoluene	mg/kg	NA NA	9.27E-01	ND ND				ND ND			-	ND ND		 	-	ND ND		+	
2-Amino-4,6-dinitrotoluene	mg/kg	NA NA	4.64E-01	עא		<u> </u>	<u> </u>	ן אט		1	<u> </u>	LIND	<u>L</u>	1		T IND	L		

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 5 of 19)

	Location				HR-1460				HR-1460				HR-1460 HR-1				HR-1460 HR-1		
1	e Number				RKO				RK0				RK0				RK0		
	ole Date				1-Aug	1-02			1-Aug	1-02			6-Au	g-02			6-Au	g-02	
	Depth (Feet)				2 -				3 -				1 -	2			2 -	2.5	
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS																			
Aluminum	mg/kg	1.36E+04	7.80E+03	1.45E+04		YES	YES	1.63E+04		YES	YES	1.08E+04			YES	1.96E+04		YES	YES
Antimony	mg/kg	1.31E+00	3.11E+00	ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	3.66E+00			YES	5.04E+00			YES	3.18E+00			YES	7.39E+00			YES
Barium	mg/kg	2.34E+02	5.47E+02	9.82E+01	J			3.59E+01	J			1.25E+02	J			7.51E+01			
Beryllium	mg/kg		9.60E+00	6.96E-01	J			4.12E-01	j			1.01E+00	J	YES		1.00E+00	J	YES	
Cadmium	mg/kg		6.25E+00	ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA	1.54E+02				1.01E+02	J			1.49E+02				1.76E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	1.03E+01				1.52E+01				9.93E+00	J			2.01E+01	J		
Cobalt	mg/kg	1.75E+01			J			3.38E+00	J			6.39E+00				7.17E+00			
Copper	mg/kg	1.94E+01	3.13E+02	1.15E+01				8.38E+00				2.04E+01		YES		1.67E+01			
Iron	mg/kg	4.48E+04	2.34E+03	1.52E+04			YES	3.35E+04			YES	1.35E+04			YES	3.84E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	6.79E+01		YES		2.28E+01				1.97E+02		YES		4.32E+01		YES	
Magnesium	mg/kg	7.66E+02	NA	5.67E+02				3.27E+02				4.45E+02				5.69E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	4.46E+02			YES	4.17E+02			YES	7.38E+02			YES	7.50E+02	J		YES
Mercury	mg/kg	7.00E-02	2.33E+00	5.02E-02	J			6.02E-02	J			3.66E-02	J			1.19E-01		YES	
Nickel	mg/kg	1.29E+01	1.54E+02	6.42E+00				5.88E+00				4.78E+00				1.02E+01			<u> </u>
Potassium	mg/kg	7.11E+02	NA	4.41E+02	J			2.74E+02	J			5.31E+02	J			5.93E+02			
Selenium	mg/kg	4.70E-01	3.91E+01	1.10E+00	В	YES		1.56E+00	В	YES		7.60E-01	J	YES		1.92E+00		YES	
Silver	mg/kg		3.91E+01	ND				ND				ND				1.24E+00		YES	
Sodium	mg/kg	7.02E+02	NA	ND				ND				2.43E+01	J			2.64E+01			
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				1.54E+00	J	YES	YES
Vanadium	mg/kg	6.49E+01		1.71E+01				3.25E+01				1.28E+01				3.78E+01		<u> </u>	
Zinc	mg/kg	3.49E+01	2.34E+03	1.89E+01				1.68E+01				1.44E+01	J			4.33E+01	J	YES	
VOLATILE ORGANIC COMPOL	INDS														·····				
2-Butanone	mg/kg	NA	4.66E+03	1.90E-02				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	3.30E-01	J			NR				NR				NR			
Toluene	mg/kg	NA	1.55E+03	ND				NR				NR				NR			
p-Cymene	mg/kg	NA	1.55E+03	ND				NR			<u> </u>	NR				NR		<u> </u>	
SEMIVOLATILE ORGANIC COM	MPOUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	ND															
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	ND				NR				NR				NR			L
PESTICIDES																		·	
4,4'-DDT	mg/kg	NA	1.79E+00	ND				NR				NR				NR		ļ	<u> </u>
Dieldrin	mg/kg	NA	3.88E-02	ND				NR				NR				NR			<u> </u>
Heptachlor	mg/kg	NA	1.40E-01	ND				NR				NR				NR			<u> </u>
alpha-Chlordane	mg/kg	NA	1.69E+00	ND				NR				NR				NR		ļ	 '
gamma-Chlordane	mg/kg	NA	1.69E+00	ND				NR				NR		L	L	NR	l	L	L
EXPLOSIVES														·					
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND		L	<u> </u>	ND		L		ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 6 of 19)

Parc Sample N Sample	Sample Location Parcel Sample Number Sample Date Sample Depth (Feet) Parameter Units BKG ^a					Q-GP08 46Q 017 g-02			HR-1460 HR-1 RK0 31-Ju	46Q 019 il-02			HR-1460 HR-1 RK0 31-Ju	46Q 021 il-02			HR-1460 HR-1 RK0 5-Au	46Q 024 g-02	
<u> </u>	,				2 -			ļ	3 -				2 -				1 -		
	Units	BKG*	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS								, , , , , , , , , , , , , , , , , , , ,				,							
Aluminum	mg/kg	1.36E+04				YES	YES	2.82E+04		YES	YES	1.74E+04		YES	YES	1.37E+04		YES	YES
Antimony	mg/kg		3.11E+00		J	YES	YES	ND				ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	8.14E+00			YES	4.70E+00			YES	3.36E+00			YES	2.73E+00			YES
Barium	mg/kg				J			3.69E+01	<u>J</u>			5.46E+01				8.42E+01			
Beryllium	mg/kg		9.60E+00	8.27E-01	J			ND				3.72E-01	J			4.33E-01	J		
Cadmium	mg/kg		6.25E+00	ND				ND				ND				ND			<u> </u>
Calcium	mg/kg	6.37E+02	NA	5.31E+01	J			5.34E+01	J			8.21E+01	J			2.47E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	1.46E+01	J			2.21E+01				1.10E+01				1.26E+01	J		
Cobalt	mg/kg	1.75E+01	4.68E+02	1.56E+01				1.71E+00	J			4.79E+00	J			5.03E+00			
Copper	mg/kg		3.13E+02	1.38E+01				1.01E+01				6.11E+00				5.43E+00			
Iron	mg/kg		2.34E+03	4.59E+04		YES	YES	2.76E+04			YES	1.50E+04			YES	1.13E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	1.90E+01				1.31E+01				1.38E+01				1.35E+01			
Magnesium	mg/kg	7.66E+02	NA	4.66E+02				4.47E+02				4.98E+02				5.20E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	4.05E+02	J		YES	4.29E+01				9.93E+01				2.27E+02			
Mercury	mg/kg	7.00E-02	2.33E+00	5.23E-02	J			3.35E-01		YES		1.61E-01		YES		5.93E-02	J		
Nickel	mg/kg	1.29E+01	1.54E+02	5.96E+00				4.64E+00				4.64E+00				4.61E+00			
Potassium	mg/kg	7.11E+02	NA	5.24E+02	J			3.52E+02	J			4.24E+02	J			4.33E+02	J		
Selenium	mg/kg	4.70E-01	3.91E+01	2.08E+00		YES		1.62E+00	В	YES		1.34E+00	В	YES		ND			
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	2.89E+01	J			ND				ND				3.21E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	1.63E+00	J	YES	YES	ND				ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	3.10E+01				3.97E+01				2.06E+01				1.78E+01			
Zinc	ma/ka	3.49E+01	2.34E+03	2.38E+01	J			1.88E+01				1.83E+01				1.51E+01	j		
VOLATILE ORGANIC COMPOUND														A	1				
2-Butanone	mg/kg	NA	4.66E+03	NR I				NR				5.80E-03	J			NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				1.10E-01	J		1	NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				ND				NR			
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				ND				NR			
SEMIVOLATILE ORGANIC COMP				1		L		d		1		L		L					
Fluoranthene	mg/kg	NA	3.09E+02			l						ND		T					
N-Nitrosodiphenylamine	mg/kg	NA.	1.29E+02	NR				NR				ND				NR			
PESTICIDES							·	I,							4			<u> </u>	
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				ND				NR			
Dieldrin	mg/kg	NA NA	3.88E-02	NR				NR				ND				NR			
Heptachlor	mg/kg	NA.	1.40E-01	NR				NR				ND				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				ND				NR			
gamma-Chlordane	mg/kg	NA NA	1.69E+00	NR				NR				ND				NR			
EXPLOSIVES	ı mama	.,,,				L	L		L	L	L				•			•	
2.4-Dinitrotoluene	ma/ka	NA	9.27E-01	ND			I	ND		Ι		ND		1		ND I			
2-Amino-4.6-dinitrotoluene	mg/kg	NA NA	4.64E-01	ND				ND		· · · · · · · · · · · · · · · · · · ·	 	ND				ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 7 of 19)

Parc Sample N Sample	Sample Location Parcel Sample Number Sample Date Sample Depth (Feet) Parameter Units BKG ^a S					-MW01 46Q 026 1-02			HR-1460 HR-1 RK0 31-Ju	46Q 028 II-02			HR-1470 HR-1 QN0 24-Ju 1.5	47Q 002 II-02			QN0 25-J	47Q	
		DKC _a	SSSL ^b	Result	1 - Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	Units	BNG	333L	Result	Quai	>BNG	/333L	Result	Quai	/DNG	7000L	Result	Quai	> DI(()	-000L	Result	Quui	1 - 0110	FOOOL
Aluminum	ma/ka	1 36E+04	7.80E+03	1.38E+04		YES	YES	1.21E+04		1	YES	1.00E+04		T	YES	1.07E+04		T	YES
Antimony	ma/ka		3.11E+00	ND ND		120	120	ND ND			120	ND ND				ND		<u> </u>	
Arsenic	mg/kg	1.83E+01					YES	2.69E+00			YES	2.95E+00			YES	3.31E+00			YES
Barium	mg/kg		5.47E+02	8.84E+01	1		110	4.47E+01	J	· · · · · · · · · · · · · · · · · · ·		8.71E+01				6.15E+01			
Beryllium	mg/kg	8.60E-01	9.60E+00	6.57E-01	<u></u>			ND	<u> </u>			3.87E-01	J			ND			
Cadmium	mg/kg	2.20E-01	6.25E+00	ND ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA NA	1.70E+02				5.84E+01	.1			1.83E+02				1.96E+02			
Chromium	mg/kg		2.32E+01	2.44E+02		YES	YES	8.27E+00				7.31E+00				1.09E+01		1	
Cobalt	mg/kg			9.64E+00		10		3.35E+00				4.79E+00				2.52E+00			
Copper	mg/kg		3.13E+02		,			4.78E+00				3.39E+00				4.42E+00			
Iron	mg/kg	4.48E+04		1.95E+04			YES	1.22E+04			YES	8.66E+03			YES	1.54E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	1.45E+01				8.99E+00				8.43E+00				9.96E+00			
Magnesium	ma/ka	7.66E+02	NA NA	3.85E+02				4.16E+02				3.83E+02				4.34E+02			
Manganese	mg/kg		3.63E+02			YES	YES	9.33E+01				2.79E+02				7.75E+01			
Mercury	ma/ka		2.33E+00		I		120	7.09E-02	J	YES		5.23E-02	J		1	4.04E-02	J		
Nickel	mg/kg					YES		4.03E+00	<u> </u>	1		3.93E+00				4.16E+00			
Potassium	mg/kg	7.11E+02	NA	4.80E+02	1	,0		3.50E+02	J			4.87E+02	J			4.83E+02	J		
Selenium	ma/ka		3.91E+01	1.25E+00 I		YES		1.38E+00		YES		ND				5.89E-01	В	YES	
Silver	mg/kg	2.40E-01		ND ND				ND				ND				ND		1	
Sodium	mg/kg	7.02E+02	NA NA	ND				ND				ND				ND			
Thallium	mg/kg	1.40E+00		ND				ND				ND				ND			
Vanadium	mg/kg		5.31E+01	2.22E+01				1.56E+01				1.09E+01				1.42E+01			
Zinc	mg/kg			1.61E+01				2.84E+01				9.84E+00	J			1.15E+01	J		
VOLATILE ORGANIC COMPOUND		0.102 01	2.0 (2 00)																
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR			
Toluene	mg/kg	NA NA	1.55E+03	NR				NR				NR				NR			
p-Cymene	ma/ka	NA	1.55E+03	NR				NR				NR				NR			
SEMIVOLATILE ORGANIC COMP							L								1				
Fluoranthene	mg/kg	NA	3.09E+02													NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR				NR			
PESTICIDES				السيستنين نبيب															
4.4'-DDT	mg/kg	NA	1.79E+00	NR I				NR				NR			7	NR			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR				NR			
Heptachlor	mg/kg	NA.	1.40E-01	NR				NR				NR	AMWANIA TO THE REAL PROPERTY OF THE PARTY OF			NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
EXPLOSIVES																			
2.4-Dinitrotoluene	ma/ka	NA	9.27E-01	ND				ND				ND				ND		1	
2-Amino-4.6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND				ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 8 of 19)

Sample I					HR-1470				HR-1480				HR-1480			I	HR-1480		
Par					HR-1				HR-1			ļ	HR-1				HR-1		
Sample					QN00 24-Ju				QS00 23-Ju				QS0 23-Ju				QS0 23-Ju		
Sample					24-Ju 1.5				23-Ju 1 -				23-31				23-JI 1 -		
Sample De	·	51108	0001				. 0001			·	. 0001			>BKG	>SSSL	- B	-	>BKG	1 . 0001
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>555L	Result	Qual	>BKG	>SSSL
METALS		4.005.04	7.80E+03	4.025.04			YES	1.47E+04		YES	YES	2.40E+04		YES	YES	1.49E+04		YES	YES
Aluminum	mg/kg	1.36E+04		ND			150	5.08E+00		YES	YES	ND		150	TEO	ND		153	TES
Antimony	mg/kg	1.83E+01		2.95E+00			YES	3.64E+00	J	YES	YES	4.99E+00			YES	4.31E+00			YES
Arsenic	mg/kg						IEO	1.41E+02			150	1.04E+02			TEO	1.49E+02			160
Barium	mg/kg		5.47E+02	5.94E+01				7.17E-01				5.48E-01				6.20E-01			
Beryllium	mg/kg	8.60E-01		ND ND					J			ND	J			ND	J		
Cadmium	mg/kg		6.25E+00	1.07E+02				ND 2.71E+02				1.77E+02				6.03E+02			
Calcium	mg/kg	6.37E+02	NA 0.00E+04		J							1.77E+02 1.82E+01				1.22E+01			ļ
Chromium	mg/kg	3.83E+01	2.32E+01	1.09E+01				1.03E+01				6.51E+00				6.56E+00			
Cobalt	mg/kg	1.75E+01	4.68E+02	3.03E+00				6.09E+00		7/50						7.86E+01		YES	
Copper	mg/kg			5.90E+00			7/50	5.95E+01		YES	YES	1.67E+01 1.73E+04			YES	1.10E+04		YES	YES
Iron	mg/kg		2.34E+03				YES	1.16E+04		VEC				YES	YES	4.68E+02	1	YES	YES
Lead	mg/kg		4.00E+02	6.23E+00				1.28E+03	J	YES	YES	5.64E+01 7.60E+02	J	YES		6.15E+02	J	YES	YES
Magnesium	mg/kg	7.66E+02	NA	4.72E+02				7.09E+02			7/50				VE0	1.23E+03			YES
Manganese	mg/kg		3.63E+02	9.63E+01				8.41E+02			YES	5.27E+02		7/50	YES	1.23E+03 5.30E-02			YES
Mercury	mg/kg		2.33E+00	4.56E-02	J			4.57E-02	J			9.29E-02	J	YES			J		
Nickel	mg/kg	1.29E+01	1.54E+02	3.25E+00				6.35E+00			ļ	7.70E+00				5.82E+00			<u> </u>
Potassium	mg/kg	7.11E+02	NA	7.08E+02				6.63E+02				6.33E+02				5.65E+02		VE0	ļ
Selenium	mg/kg		3.91E+01	ND				1.35E+00		YES		1.30E+00		YES		1.20E+00		YES	
Silver	mg/kg		3.91E+01	ND				ND				ND				ND			<u> </u>
Sodium	mg/kg	7.02E+02	NA	2.67E+01	J			4.91E+01	В			5.18E+01	В			5.05E+01	R		
Thallium	mg/kg	1.40E+00		ND				ND				ND				ND			<u> </u>
Vanadium	mg/kg	6.49E+01		1.72E+01				1.61E+01				3.04E+01				1.71E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.27E+01	J			2.72E+01				2.32E+01		L	1	3.36E+01		L	
VOLATILE ORGANIC COMPOUN												·				Lim			·
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR			ļ
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			_
p-Cymene	mg/kg	NA	1.55E+03	NR		L		NR				NR		<u> </u>		NR		L	1
SEMIVOLATILE ORGANIC COM														·					
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				NR			ļ
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR			L	NR				NR		L	1
PESTICIDES															·	15			
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				NR			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR				NR		ļ	
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			ļ
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR		L	<u></u>	NR		L	l	NR		L	
EXPLOSIVES						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										T			
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND ND				ND			ļ	ND			ļ	ND			
2-Amino-4,6-dinitrotoluene								ND			L	ND			L	ND		L	

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 9 of 19)

Parı Sample I Sample						-MW01 48Q 009 I-02 2			HR-94Q HR-9 RJ00 5-Aug 1 -	94Q 002 g-02			HR-94Q HR-9 RJ00 30-Ju 1 -	94Q 005 II-02			HR-940 HR- RJ0 30-J	94Q 007 ul-02	
	1,	BKC _a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	Units	DKG	JUJE	Result	Quai	, DICO	,000E	1 (Court	Quui	- DICC	10001	recount	- Quui	1 5110	1 0002	1,000	<u> </u>	1 = 112	1
Aluminum	mg/kg	1.36F+04	7.80E+03	1.81E+04		YES	YES	8.22E+03			YES	2.00E+04		YES	YES	2.58E+04		YES	YES
Antimony	mg/kg		3.11E+00	ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01					YES	4.71E+00			YES	4.86E+00			YES	6.84E+00		1	YES
Barium	mg/kg	2.34E+02	5.47E+02	8.84E+01				1.43E+02	J			1.05E+02	J		,	1.44E+02	J		
Beryllium	mg/kg	8.60E-01	9.60E+00	4.10E-01	J			7.74E-01	J			6.58E-01	J			1.72E+00		YES	
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND				ND				5.62E-01	J	YES	
Calcium	mg/kg	6.37E+02	NA	3.08E+02				3.48E+02				1.39E+02				2.52E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	2.23E+01				8.81E+00				1.45E+01				1.78E+01	,		
Cobalt	ma/ka	1.75E+01		6.57E+00				9.81E+00				7.20E+00				1.46E+01			
Copper	mg/kg		3.13E+02	5.49E+01		YES		2.02E+01		YES		2.05E+01		YES		3.79E+01		YES	
Iron	mg/kg		2.34E+03				YES	1.79E+04			YES	1.76E+04			YES	1.80E+04		,	YES
Lead	mg/kg	3.85E+01	4.00E+02		.]	YES		1.17E+02		YES		6.97E+01	J	YES		2.55E+02	j	YES	1
Magnesium	mg/kg	7.66E+02	NA NA	6.28E+02	<u> </u>	,,,,,		2.34E+02				9.55E+02		YES		1.21E+03		YES	
Manganese	mg/kg	1.36E+03					YES	7.48E+02	J		YES	5.88E+02	J		YES	1.45E+03	J	YES	YES
Mercury	mg/kg	7.00E-02		6.89E-02	.1			5.41E-02			1	6.50E-02				6.64E-02	j		1
Nickel	mg/kg	1.29E+01	1.54E+02		<u> </u>			5.37E+00				9.18E+00	-			1.46E+01		YES	1
Potassium	mg/kg	7.11E+02	NA.	5.62E+02	J			2.56E+02	В			1.10E+03		YES		1.05E+03		YES	
Selenium	mg/kg	4.70E-01		9.96E-01		YES		8.12E-01	В	YES		8.72E-01	В	YES		1.59E+00		YES	
Silver	mg/kg	2.40E-01		ND				ND	-			ND				ND			
Sodium	mg/kg	7.02E+02	NA	4.32E+01	В			2.43E+01	В			4.01E+01	В			8.48E+01	В		
Thallium	mg/kg	1.40E+00		ND				7.19E-01	В		YES	ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	2.46E+01				1.46E+01				2.42E+01				3.17E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	2.82E+01	, , , ,			1.93E+01				2.65E+01				3.96E+01		YES	I
VOLATILE ORGANIC COMPOUN																			
2-Butanone	mg/kg	NA	4.66E+03	8.10E-03	J			NR				NR				6.10E-02			
Acetone	mg/kg	NA	7.76E+02	1.00E-01	J			NR				NR				ND			
Toluene	mg/kg	NA	1.55E+03	ND				NR				NR				1.90E-03			
p-Cymene	mg/kg	NA	1.55E+03	ND				NR				NR				3.90E-03	j		
SEMIVOLATILE ORGANIC COMP	OUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	ND				NR				NR				ND			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	ND				NR				NR				ND			
PESTICIDES				•															
4.4'-DDT	mg/kg	NA	1.79E+00	ND				NR				NR				ND			
Dieldrin	mg/kg	NA	3.88E-02	ND				NR				NR				1.90E-03	J		
Heptachlor	mg/kg	NA	1.40E-01	ND				NR				NR				ND			
alpha-Chlordane	mg/kg	NA	1.69E+00	ND				NR				NR				ND			
gamma-Chlordane	mg/kg	NA	1.69E+00	ND				NR				NR				ND			
EXPLOSIVES																			
2.4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND				ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 10 of 19)

Paro Sample N	Sample Location Parcel Sample Number Sample Date Sample Depth (Feet)					-GP05 4Q 010 I-02			HR-94Q HR-9 RJ00 30-Ju	94Q 013			HR-940 HR-9 RJ00 30-Ju	94Q 015			HR-940 HR- RJ0 5-Au	94Q 017	
Sample De	pth (Feet)				2 -	3			1 -	2			1 -				1 -	~~~	
Parameter	Units	BKG ^a	SSSL⁵	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS								· · · · · · · · · · · · · · · · · · ·				,	· · · · · · · · · · · · · · · · · · ·						
Aluminum	mg/kg		7.80E+03					2.28E+04		YES	YES	1.30E+04			YES	6.36E+03		ļ	
Antimony	mg/kg	1.31E+00		ND				ND				ND				ND		ļ	
Arsenic	mg/kg	1.83E+01		1.95E+00			YES	5.79E+00			YES	3.01E+00			YES	1.64E+00			YES
Barium	mg/kg							8.31E+01	J			1.34E+02				1.07E+02	J	ļ	
Beryllium	mg/kg		9.60E+00	ND				1.65E+00		YES		6.16E-01	J			7.59E-01	J	 	
Cadmium	mg/kg		6.25E+00	ND				9.06E-01	J	YES		ND				ND 1005			4
Calcium	mg/kg	6.37E+02	NA	6.58E+01	J			1.40E+02				2.06E+02				1.83E+02		 	4
Chromium	mg/kg	3.83E+01		5.33E+00				2.09E+01				9.53E+00				5.60E+00			4
Cobalt	mg/kg	1.75E+01						4.73E+00				4.80E+00		1	ļ	5.59E+00			
Copper	mg/kg	1.94E+01						7.61E+00				3.23E+01		YES		7.96E+00		<u> </u>	
Iron	mg/kg						YES	2.28E+04			YES	9.70E+03			YES	9.78E+03			YES
Lead	mg/kg	3.85E+01	4.00E+02	4.10E+01	.,	YES		1.06E+01	J			1.59E+02	J	YES		1.25E+01			
Magnesium	mg/kg	7.66E+02	NA.	2.63E+02				1.08E+03		YES		6.39E+02				1.86E+02		ļ	
Manganese	mg/kg			2.88E+02				8.28E+01				3.98E+02	<u>J</u>		YES	6.90E+02		ļ	YES
Mercury	mg/kg		2.33E+00	4.22E-02				4.43E-02	J			3.83E-02	J		ļ	3.96E-02	J	ļ	
Nickel	mg/kg			2.89E+00 I				9.84E+00				5.24E+00			ļ	3.71E+00			
Potassium	mg/kg	7.11E+02	NA	1.81E+02 I	В			1.34E+03		YES		6.55E+02				3.89E+02			
Selenium	mg/kg		3.91E+01	ND				2.20E+00		YES		ND				5.48E-01	В	YES	
Silver	mg/kg		3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	ND				1.08E+02				3.95E+01	В			ND			
Thallium	mg/kg	1.40E+00		ND				1.11E+00	J		YES	ND				ND			
Vanadium	mg/kg	6.49E+01		8.09E+00				2.94E+01				1.39E+01				5.95E+00			
Zinc	mg/kg	3.49E+01	2.34E+03	7.26E+00				3.06E+01		<u>L</u>		2.50E+01		L		2.00E+01			
VOLATILE ORGANIC COMPOUN												,			1				
2-Butanone	mg/kg	NA	4.66E+03	NR	,			NR				NR				NR			ļ
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR		ļ	
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR		ļ	
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR			<u> </u>	NR		L	
SEMIVOLATILE ORGANIC COMP										,					,				
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				NR		 	4
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR		L	L	NR		L	
PESTICIDES	.,							,						·					.,
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				NR		 	
Dieldrin	mg/kg	NA	3.88E-02	NR				NR		ļ		NR			ļ	NR			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR			ļ	NR		 	
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR			ļ	NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR		<u> </u>		NR		L	<u> </u>	NR			
EXPLOSIVES	. ,										r								
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND ND		 	
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND		<u> </u>		ND			<u> </u>	ן אט ן			<u> </u>

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 11 of 19)

Sample L Parc Sample N Sample Sample De	cel Number Date	ı			HR-94Q HR-9 RJ00 5-Au	94Q 019 g-02			HR-94Q HR-9 RJ00 30-Ju 1 -	94Q 022 11-02			HR-94Q HR-9 RJ0 5-Au	94Q 024 g-02			HR-950 HR-950 QW0 12-Au	95Q 1003 1g-02	
Parameter	Units	BKG ^a	SSSLb	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS			<u> </u>											•					
Aluminum	mg/kg	1.36E+04	7.80E+03	1.10E+04			YES	1.97E+04		YES	YES	7.77E+03				3.10E+04		YES	YES
Antimony	mg/kg	1.31E+00	3.11E+00	ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	3.46E+00			YES	4.56E+00			YES	2.61E+00			YES	8.77E+00	J		YES
Barium	mg/kg	2.34E+02	5.47E+02	3.03E+01	J			6.55E+01				2.51E+02		YES		5.03E+01			
Beryllium	mg/kg	8.60E-01	9.60E+00	ND				6.85E-01	J			6.88E-01	J			4.42E-01	J		
Cadmium	mg/kg	2.20E-01	6.25E+00					ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA	6.63E+01	J			1.21E+02				1.14E+03		YES	<u> </u>	7.46E+01	J		
Chromium	mg/kg	3.83E+01	2.32E+01					1.28E+01				6.02E+00				3.39E+01	·		YES
Cobalt	mg/kg	1.75E+01	4.68E+02		J			1.01E+01				4.84E+00				3.02E+00			
Copper	mg/kg	1.94E+01	3.13E+02	6.04E+00				7.11E+00				3.55E+01		YES		1.55E+01			
Iron	mg/kg	4.48E+04	2.34E+03	2.06E+04			YES	1.35E+04			YES	8.52E+03			YES	3.96E+04			YES:
Lead	mg/kg	3.85E+01	4.00E+02	7.40E+00				1.41E+01	J			3.65E+01				1.59E+01			
Magnesium	mg/kg	7.66E+02	NA	1.95E+02			***************************************	9.83E+02		YES	/	2.41E+02				5.17E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	3.68E+01	J			5.85E+02	J		YES	9.04E+02	J		YES	2.48E+02	J		
Mercury	mg/kg	7.00E-02	2.33E+00	6.74E-02	J			1.03E-01	J	YES		ND				2.11E-01		YES	
Nickel	mg/kg	1.29E+01	1.54E+02	2.16E+00	В			1.09E+01				4.22E+00				9.33E+00			
Potassium	mg/kg	7.11E+02	NA	6.78E+02				7.61E+02		YES		5.80E+02				5.38E+02			
Selenium	mg/kg	4.70E-01	3.91E+01	6.63E-01	В	YES		9.16E-01	В	YES		ND				1.72E+00	J	YES	
Silver	mg/kg		3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	ND				3.92E+01	В			2.37E+01	В			2.19E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	1.74E+01				2.50E+01				9.05E+00				5.48E+01			YES
Zinc	mg/kg	3.49E+01	2.34E+03	5.23E+00				2.56E+01				3.14E+01				2.19E+01	J		
VOLATILE ORGANIC COMPOUN	DS					A.z.z.													
2-Butanone	mg/kg	NA	4.66E+03	NR				2.90E-02				NR				ND			
Acetone	mg/kg	NA	7.76E+02	NR				ND				NR				4.00E-02			
Toluene	mg/kg	NA	1.55E+03	NR				5.20E-03				NR				2.00E-03	J		
p-Cymene	mg/kg	NA	1.55E+03	NR				2.30E-03	J			NR				ND		l	
SEMIVOLATILE ORGANIC COMP							•												
Fluoranthene	mg/kg	NA	3.09E+02	NR				ND				NR				ND			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				ND				NR				ND			
PESTICIDES																			
4.4'-DDT	mg/kg	NA	1.79E+00	NR				3.30E-03	J			NR				4.10E-03	J		
Dieldrin	mg/kg	NA	3.88E-02	NR				ND				NR				ND			
Heptachlor	mg/kg	NA	1.40E-01	NR				ND				NR				ND			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				ND				NR				ND			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				ND				NR				ND		1	
EXPLOSIVES																			_
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND		<u> </u>	
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND		J	<u> </u>	ND		<u> </u>	

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 12 of 19)

Sample L Parc Sample N Sample Sample De	el lumber Date				HR-95Q HR-9 QW0 12-Au 1 -	5Q 005 g-02			HR-95Q HR-9 QW0 12-Au 1 -	95Q 007 g-02			HR-95Q HR-9 QW0 12-Au	5Q 009 g-02			HR-950 HR-9 QW0 13-Au	95Q 1011 1g-02	
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS											······		· · · · · · · · · · · · · · · · · · ·		<u> </u>		1.11.		
Aluminum	mg/kg	1.36E+04	7.80E+03	2.53E+04		YES	YES	2.71E+04		YES	YES	1.57E+04		YES	YES	2.70E+04		YES	YES
Antimony	mg/kg	1.31E+00	3.11E+00	ND				ND				ND				5.96E+00	J	YES	YES
Arsenic	mg/kg	1.83E+01	4.26E-01	8.77E+00	J		YES	7.15E+00	J		YES	4.30E+00			YES	5.98E+00			YES
Barium	mg/kg	2.34E+02	5.47E+02	4.84E+01				9.93E+01				6.32E+01				6.74E+01			
Beryllium	mg/kg	8.60E-01	9.60E+00	4.53E-01	J			5.27E-01	J			5.28E-01	J			6.81E-01	J		
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA	6.85E+01	J			1.06E+02	J			6.77E+01	J			1.98E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	2.60E+01	,		YES	2.49E+01			YES	1.78E+01				1.94E+01			
Cobalt	mg/kg	1.75E+01	4.68E+02	2.72E+00				7.66E+00				7.47E+00				1.17E+01			
Copper	mg/kg	1.94E+01	3.13E+02	1.34E+01	,			1.17E+01				1.59E+02		YES		4.42E+01		YES	
Iron	mg/kg	4.48E+04	2.34E+03	4.01E+04			YES	3.09E+04		,	YES	2.87E+04			YES	2.76E+04			YES
Lead	mg/kg		4.00E+02	1.49E+01				1.82E+01				3.68E+02		YES		1.41E+02		YES	
Magnesium	mg/kg	7.66E+02	NA	4.10E+02				5.40E+02				3.59E+02				6.63E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	1.95E+02	J			9.02E+02	J		YES	3.75E+02			YES	1.73E+03		YES	YES
Mercury	mg/kg	7.00E-02	2.33E+00	1.54E-01		YES		1.43E-01		YES		7.68E-02	J	YES		9.95E-02	J	YES	
Nickel	mg/kg	1.29E+01	1.54E+02	7.14E+00				9.82E+00				7.20E+00				1.08E+01			
Potassium	mg/kg	7.11E+02	NA	6.32E+02				6.14E+02				7.54E+02		YES		7.37E+02		YES	
Selenium	mg/kg	4.70E-01	3.91E+01	1.29E+00	J	YES		1.02E+00	J	YES		1.27E+00	В	YES		1.29E+00	В	YES	
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg	7.02E+02	NA	2.69E+01	J			2.52E+01	J			2.38E+01	J			3.17E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	4.89E+01				4.16E+01				2.77E+01				3.70E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.78E+01	J			2.21E+01	J			3.66E+01		YES		2.99E+01			
VOLATILE ORGANIC COMPOUN	DS																		
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
SEMIVOLATILE ORGANIC COMP	OUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR				NR			
PESTICIDES																			
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				NR			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR				NR			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	ŃR				NR				NR				NŘ			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
EXPLOSIVES																			
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND				ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 13 of 19)

Sample I Par Sample Sample	cel Number e Date				HR-950 HR- QW0 12-A1	95Q 0013 ug-02			HR- QW(12-A)	Q-GP07 -95Q 0023 ug-02 - 2			HR-95Q HR-9 QW0 12-Au	95Q 1025 1g-02			HR-950 HR-950 QW0 13-Au	95Q 1027 1g-02	
Sample De	 	BKGª	SSSL ^b	D 14		>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
Parameter	Units	BKG	555L	Result	Qual	>BKG	>555L	Result	Quai	>BNG	2000L	Result	Quai	>bnG	/333L	Result	Quai	>bnu	/333L
METALS	ma/ka	1 26E±04	7.80E+03	2 105+04		YES	YES	1.59E+04		YES	YES	3.28E+04		YES	YES	1.63E+04		YES	T YES
Aluminum		1.36E+04		ND		TES	TES	ND		IES	1L3	ND		11.5	123	ND ND		ILU	+
Antimony				6.83E+00			YES	3.25E+00			YES	7.05E+00			YES	3.92E+00			YES
Arsenic				5.30E+01	J		152	9.33E+01			TES	8.49E+01	J	 	IES	1.01E+02			153
Barium												9.45E-01		YES		1.08E+00	1	YES	+
Beryllium	mg/kg	8.60E-01	9.60E+00	4.07E-01	J			6.29E-01	J				J	YES		ND	J	150	
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND				ND ND		ļ					
Calcium		6.37E+02	NA	6.12E+01				7.35E+01	J			1.00E+02	J	ļ		1.68E+02			+
Chromium		3.83E+01		2.13E+01				1.72E+01				1.81E+01				1.35E+01		ļ	
Cobalt			4.68E+02	4.67E+00				7.98E+00				1.70E+01				7.54E+00		1.55	
Copper		1.94E+01		1.23E+01				1.35E+01				1.18E+01				2.14E+01		YES	
Iron		4.48E+04		2.81E+04		·	YES	2.66E+04			YES	2.93E+04			YES	1.79E+04			YES
Lead		3.85E+01	4.00E+02	1.24E+01				1.78E+01				2.40E+01		ļ		9.27E+01		YES	
Magnesium		7.66E+02	NA	6.72E+02				4.60E+02	-			7.71E+02		YES		4.98E+02			
Manganese		1.36E+03		1.52E+02	J			5.59E+02			YES	3.46E+03	J	YES	YES	1.54E+03		YES	YES
Mercury	mg/kg	7.00E-02	2.33E+00	1.48E-01		YES		9.42E-02	J	YES		1.23E-01		YES		6.23E-02	J		
Nickel	mg/kg	1.29E+01	1.54E+02	7.89E+00				8.46E+00				1.49E+01		YES		8.20E+00			
Potassium	mg/kg	7.11E+02	NA	1.12E+03		YES		9.71E+02		YES		6.25E+02				8.66E+02		YES	
Selenium	mg/kg	4.70E-01	3.91E+01	1.35E+00	J	YES		1.02E+00	В	YES		1.52E+00	J	YES		ND			
Silver	mg/kg	2.40E-01	3.91E+01	ND				1.22E+00	J	YES		ND				ND			
Sodium	ma/ka	7.02E+02	NA	2.71E+01	J			3.15E+01	J			2.71E+01	J			3.14E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium			5.31E+01	3.31E+01				2.81E+01				3.88E+01				2.23E+01			
Zinc			2.34E+03		1			2.34E+01				3.14E+01	J			2.06E+01			
VOLATILE ORGANIC COMPOUN		0.102 01	1 2.0 00				L	1				1							
2-Butanone	mg/kg	NA	4.66E+03	NR I				NR I				NR I		T		NR			\Box
Acetone	mg/kg	NA NA	7.76E+02	NR				NR		I		NR		1		NR			
Toluene	mg/kg	NA NA	1.55E+03	NR				NR NR				NR I		t		NR NR			
p-Cymene	mg/kg	NA NA	1.55E+03	NR				NR NR				NR NR		 		NR NR			1
SEMIVOLATILE ORGANIC COM		110	1.00E.00	1417				1 111		1		1		1	I	1		1	
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR T				NR T		·		NR I		T	T
N-Nitrosodiphenylamine	mg/kg	NA NA	1.29E+02	NR				NR				NR I				NR I		 	
PESTICIDES	i mg/kg	INA	1.285+02	INIX			l	I INIX			L	1317				1315		I	
4.4'-DDT	mg/kg	NA	1.79E+00	NR I				NR I		T	I	NR T		1	I	NR I		Τ	T
		NA NA	3.88E-02	NR NR				NR NR			l	NR NR		 		NR NR		 	+
Dieldrin	mg/kg			NR NR				NR NR				NR NR		 	<u> </u>	NR I		 	+
Heptachlor	mg/kg	NA NA	1.40E-01					NR NR				NR NR		 		NR I		 	+
alpha-Chlordane	mg/kg	NA	1.69E+00	NR								NR NR		+		NR NR			+
gamma-Chlordane	mg/kg	NA	1.69E+00	NR			L	NR		L	L	I INK		L	L	INIX		L	
EXPLOSIVES			T = === - : 1					1 15		1	T	 ,,,,, ,		Υ		ND I		· · · · · · · · · · · · · · · · · · ·	
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND ND		ļ		ND ND			+
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND		L	<u> </u>	ND		<u></u>	<u>L</u>	ן שט			L

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 14 of 19)

Pa Sample Samp	Location rcel Number le Date				HR-95Q HR-9 QW0 12-Au 1 -	95Q 015 g-02			HR-95Q- HR-9 QW0- 13-Au 1 -	95Q 017 g-02			HR-95Q HR-9 QW0 12-Au 2 -	95Q 1019 1g-02			HR-96Q HR-9 QP0 22-Ju 1 -	96Q 002 II-02	
Parameter	Units	BKG ^a	SSSLb	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	•							·						<u> </u>			4		
Aluminum	mg/kg	1.36E+04	7.80E+03	2.15E+04		YES	YES	1.06E+04			YES	1.77E+04		YES	YES	9.31E+03			YES
Antimony	mg/kg	1.31E+00	3.11E+00	ND				5.14E+00	J	YES	YES	ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	6.70E+00			YES	3.85E+00			YES	5.12E+00	J		YES	2.81E+00	J		YES
Barium	mg/kg	2.34E+02	5.47E+02	3.71E+01				5.16E+01				7.06E+01				1.21E+02			
Beryllium	mg/kg		9.60E+00	ND				4.59E-01	J			5.16E-01	J			5.15E-01	J		
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA	6.39E+01	J			1.49E+02				2.77E+02				2.95E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	2.60E+01			YES	1.95E+01				1.52E+01				7.81E+00			
Cobalt	mg/kg	1.75E+01	4.68E+02	3.40E+00				9.48E+00				3.25E+01		YES		5.89E+00			
Copper			3.13E+02	1.02E+02		YES		1.30E+02		YES		1.05E+01				3.87E+01		YES	
Iron			2.34E+03	3.76E+04			YES	2.21E+04			YES	2.05E+04			YES	8.94E+03			YES
Lead		3.85E+01	4.00E+02	2.85E+02		YES		2.38E+02		YES		2.12E+01				2.77E+02		YES	
Magnesium		7.66E+02	NA	4.12E+02				3.70E+02				6.29E+02				4.44E+02			
Manganese			3.63E+02	1.49E+02				5.84E+02			YES	7.05E+02	J		YES	6.34E+02			YES
Mercury	mg/kg		2.33E+00	1.18E-01		YES		5.38E-02	J			1.54E-01		YES		3.94E-02	J		
Nickel		1.29E+01	1.54E+02	8.46E+00				6.64E+00				7.46E+00				5.73E+00			
Potassium	ma/ka	7.11E+02	NA	6.05E+02				9.89E+02		YES		9.44E+02		YES		4.05E+02	В		
Selenium		4.70E-01	3.91E+01	9.01E-01	B	YES		9.57E-01	В	YES		1.10E+00	J	YES		1.05E+00	В	YES	
Silver		2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium		7.02E+02	NA	3.33E+01	J			2.67E+01	J			2.73E+01	J			2.36E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium	ma/ka	6.49E+01	5.31E+01	4.51E+01				1.87E+01				2.30E+01				1.09E+01			
Zinc		3.49E+01	2.34E+03	2.51E+01				2.76E+01				2.01E+01	J			1.96E+01	J		
VOLATILE ORGANIC COMPOU		L					A								•				
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
SEMIVOLATILE ORGANIC COM	POUNDS	 					• • • • • • • • • • • • • • • • • • • •												
Fluoranthene	mg/kg	NA NA	3.09E+02	NR				NR				NR				NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR				NR			
PESTICIDES			I	L			·								1				
4,4'-DDT	mg/kg	NA	1.79E+00	NR			T	NR			-3	NR				NR			
Dieldrin	mg/kg	NA	3.88E-02	NR			1	NR				NR				NR			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
EXPLOSIVES	1			4			•												
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND			T	ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND				ND		L	

Table 2-4

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 15 of 19)

	le Location Parcel				HR-96Q HR-9	6Q			HR-96Q HR-9	6Q			HR-96Q HR-9	6Q			HR-96Q HR-9	96Q	
Samp	le Number				QP0	004			QP0				QP0				QP0		
Sam	iple Date				22-Ju				22-Ju				22-Ju				22-Ju		l
Sample	Depth (Feet))			1.5 -	2.5			1 -	2		ļ	1 -		,		1 -		
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS						,						,			,	,		·	
Aluminum	mg/kg		7.80E+03	1.32E+04			YES	2.92E+04		YES	YES	1.90E+04		YES	YES	3.32E+04		YES	YES
Antimony	mg/kg	1.31E+00		ND				ND				ND				ND			
Arsenic	mg/kg	1.83E+01		3.40E+00	J		YES	5.95E+00	J		YES	5.33E+00	J		YES	4.80E+00	J		YES
Barium	mg/kg		5.47E+02	8.61E+01				8.63E+01				3.89E+01				4.35E+01			
Beryllium	mg/kg		9.60E+00	5.30E-01	J			ND				ND				ND			
Cadmium	mg/kg		6.25E+00	ND				ND				ND				ND			ļ
Calcium	mg/kg	6.37E+02	NA	1.74E+02				3.70E+02				7.82E+02		YES		1.30E+02			
Chromium	mg/kg	3.83E+01		9.57E+00				2.50E+01			YES	2.13E+01				3.34E+01			YES
Cobalt	mg/kg	1.75E+01		5.43E+00				2.49E+00				2.02E+00	J			1.83E+00	J		ļ'
Copper	mg/kg	1.94E+01		7.89E+00				9.29E+00				1.90E+01				8.47E+00			
Iron	mg/kg	4.48E+04		1.25E+04			YES	2.35E+04			YES	2.88E+04			YES	2.60E+04			YES
Lead	mg/kg		4.00E+02	2.15E+01				1.18E+01				1.04E+01				1.08E+01	·····		
Magnesium	mg/kg	7.66E+02	NA	5.54E+02				7.59E+02				8.19E+02		YES		5.42E+02			
Manganese	mg/kg		3.63E+02	5.97E+02			YES	7.56E+01				6.76E+01				4.54E+01			
Mercury	mg/kg			3.92E-02	J			1.11E-01	J	YES		1.18E-01		YES		2.26E-01		YES	
Nickel	mg/kg	1.29E+01		5.36E+00				7.05E+00				3.97E+00				6.44E+00			
Potassium	mg/kg	7.11E+02	NA	6.87E+02				5.97E+02				6.13E+02				5.73E+02			
Selenium	mg/kg	4.70E-01	3.91E+01	9.63E-01	В	YES		1.42E+00	В	YES		1.97E+00	J	YES		1.72E+00	В	YES	<u> </u>
Silver	mg/kg	2.40E-01		ND				ND				ND				ND			<u> </u>
Sodium	mg/kg	7.02E+02	NA	3.07E+01	J			3.16E+01	J			2.50E+01	J ·			2.53E+01	J		
Thallium	mg/kg	1.40E+00		ND				ND				ND				ND			
Vanadium	mg/kg		5.31E+01	1.74E+01				4.11E+01				3.48E+01				4.96E+01			
Zinc	mg/kg	3.49E+01	2.34E+03	1.64E+01	J			2.13E+01	J			1.47E+01	J			1.94E+01	J		<u> </u>
VOLATILE ORGANIC COMPO						,						,							
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				ND				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				4.00E-02	J			NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				ND				NR			ļ
p-Cymene	mg/kg	NA	1.55E+03	NR				NR		<u> </u>	L	ND		l	L	NR		L	<u> </u>
SEMIVOLATILE ORGANIC CO						,						T 005 551						1	
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				7.20E-02	J			NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR		L		NR		l	L	1.60E-01	J	l	L	NR		L	L
PESTICIDES											1	l NB 1				1 15			T
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				ND				NR			ļ
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				ND				NR			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				ND				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				ND			ļ	NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR	<u> </u>			NR		l		ND		L	L	NR		<u> </u>	L
EXPLOSIVES							, , , , , , , , , , , , , , , , , , , ,				· · · · · · · · · · · · · · · · · · ·			т					
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND			ļ	ND		ļ	<u> </u>
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND			L	ND				ND		<u> </u>	<u></u>	ND		L	

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 16 of 19)

Sample L Parc Sample N Sample Sample	el lumber Date				HR-97Q HR-9 QL00 23-Ju 1.5 -	7Q 002 I-02			HR-97Q HR-9 QL00 23-Ju 1 -	7Q 004 I-02			HR-970 HR-9 QL0 23-Ju 2.5 -	97Q 006 II-02			HR-970 HR-1 QL0 25-Ju 2 -	97Q 008 ıl-02	
Parameter	Units	BKGª	SSSLb	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	Onico	Ditto	0001	Robalt	- Guui	. 5.10		7,000	4										
Aluminum	ma/ka	1.36E+04	7.80E+03	1.46E+04		YES	YES	1.90E+04		YES	YES	2.42E+04		YES	YES	3.47E+04		YES	YES
Antimony		1.31E+00		ND				ND				ND				ND			
Arsenic		1.83E+01		3.36E+00			YES	5.54E+00			YES	7.41E+00			YES	9.89E+00			YES
Barium	mg/kg		5.47E+02	7.67E+01				1.11E+02				9.42E+01				1.19E+02			
Beryllium	mg/kg		9.60E+00	6.92E-01	J			8.41E-01	J			8.86E-01	J	YES		9.20E-01	J	YES	
Cadmium			6.25E+00	ND				ND				ND				ND			
Calcium		6.37E+02	NA	9.01E+01	J			6.03E+03		YES		1.58E+02				2.37E+02			
Chromium		3.83E+01	2.32E+01	9.11E+00				1.65E+01				7.13E+01		YES	YES	3.80E+01			YES
Cobalt		1.75E+01		1.45E+01				1.12E+01				9.88E+00				1.08E+01			
Copper	ma/ka	1.94E+01	3.13E+02	6.24E+00				1.94E+01				1.05E+01				1.94E+01			
Iron	ma/ka	4.48E+04	2.34E+03	1.36E+04			YES	3.81E+04			YES	4.39E+04			YES	4.81E+04		YES	YES
Lead	mg/kg	3.85E+01	4.00E+02	2.82E+01	J			1.05E+02	J	YES		4.43E+01	J	YES		2.80E+01	J		
Magnesium	ma/ka		NA	4.34E+02				4.00E+03		YES		4.61E+02				8.68E+02		YES	
Manganese	mg/kg	1.36E+03	3.63E+02	1.83E+03		YES	YES	2.26E+03		YES	YES	9.71E+02			YES	5.98E+02			YES
Mercury	ma/ka			7.74E-02	J	YES		1.08E-01	J	YES		7.96E-02	J	YES		1.02E-01	J	YES	
Nickel	ma/ka	1.29E+01	1.54E+02	6.96E+00				1.32E+01		YES		8.59E+00				1.47E+01		YES	
Potassium	mg/kg	7.11E+02	NA	2.74E+02	J			6.35E+02				3.06E+02	J			7.83E+02		YES	
Selenium	mg/kg	4.70E-01	3.91E+01	8.49E-01	J	YES		1.83E+00		YES		2.08E+00		YES		1.45E+00		YES	
Silver	mg/kg		3.91E+01	ND				ND				ND				ND			
Sodium	mg/kg		NA	2.20E+01	J			3.93E+01	J			ND				3.15E+01	J		
Thallium	mg/kg		5.08E-01	ND				1.11E+00	J		YES	1.25E+00	J		YES	1.68E+00	j	YES	YES
Vanadium		6.49E+01	5.31E+01	1.89E+01				2.39E+01				3.95E+01				6.52E+01		YES	YES
Zinc	mg/kg				J			1.52E+03	J	YES		1.97E+01	J			3.63E+01	J	YES	
VOLATILE ORGANIC COMPOUN							· · · · · · · · · · · · · · · · · · ·												
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				1.30E-02			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				2.70E-01	J		
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				1.50E-03	J		
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR				4.10E-03	J		
SEMIVOLATILE ORGANIC COMP	OUNDS																		
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				ND			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR				ND			
PESTICIDES																			
4.4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				ND			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR				ND			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR				2.20E-03			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				1.50E-03			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				1.50E-03	J		
EXPLOSIVES			•																
2.4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND	***************************************			ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND		Ĭ		ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 17 of 19)

Sample L Parc Sample N Sample Sample	el lumber Date				HR-970 HR-9 QL0 24-Ju 2.5 -	97Q 011 il-02			HR-97Q HR-9 QL00 29-Ju 1 -	97Q 913 11-02			HR-97Q HR-9 QL00 25-Ju 2 -	97Q 015 il-02			HR-970 HR-9 QL0 25-Ju 1 -	97Q 017 ul-02	
Parameter	Units	BKGª	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS	Units	BNG	333L	Result	Quai	/b//G	/333L	Result	Quai	/bkg	/333L	Result	Quai	> DICC	7333L	Result	Quai	LADIKO	70001
Aluminum	mg/kg	1 36E+04	7.80E+03	3.57E+04		YES	YES	1.85E+04		YES	YES	1.58E+04		YES	YES	2.42E+04		YES	YES
Antimony	mg/kg	1.31E+00		ND ND		12.0	120	ND ND		,	120	ND		120		ND ND		T	
Arsenic	ma/ka		4.26E-01	1.06E+01			YES	3.90E+00			YES	4.30E+00			YES	4.29E+00			YES
Barium	mg/kg		5.47E+02	1.07E+02				4.47E+01				7.57E+01				2.10E+01		 	
Bervilium	mg/kg		9.60E+00	8.38E-01	1			ND				4.30E-01	J			ND			
Cadmium	mg/kg		6.25E+00	ND ND				ND				ND				ND			
Calcium	mg/kg	6.37E+02	NA NA	2.08E+02				1.55E+02				1.03E+02	J			6.70E+01	J		
Chromium	ma/ka		2.32E+01	2.48E+01			YES	2.20E+01				1.46E+01				3.54E+01	-	†	YES
Cobalt	mg/kg		4.68E+02	1.09E+01				1.76E+00	J			1.22E+01				ND			
Copper	mg/kg		3.13E+02	1.42E+01				1.19E+01				6.11E+00				1.14E+01			
Iron	mg/kg	4.48E+04	2.34E+03	3,90E+04			YES	2.27E+04			YES	2.02E+04			YES	3.40E+04			YES
Lead	mg/kg	3.85E+01	4.00E+02	2.66E+01	J			5.16E+01		YES		2.95E+01				2.13E+01			
Magnesium	ma/ka	7.66E+02	NA	9.59E+02		YES		3.87E+02				3.61E+02				2.68E+02			
Manganese	mg/kg	1.36E+03	3.63E+02	8.90E+02			YES	4.75E+01				8.14E+02			YES	3.26E+01			
Mercury	mg/kg		2.33E+00	1.09E-01	J	YES		9.60E-02	J	YES	***	1.38E-01		YES		2.34E-01		YES	
Nickel			1.54E+02	1.50E+01		YES		4.14E+00				7.20E+00				2.53E+00	В		
Potassium	ma/ka	7.11E+02	NA	6.39E+02				1.89E+02	В			1.44E+02	В			1.16E+02	В		
Selenium	mg/kg	4.70E-01	3.91E+01	1.85E+00		YES		5.50E-01	J	YES		5.43E-01	j	YES		ND			
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND				ND				ND			
Sodium		7.02E+02	NA	2.32E+01	J			ND				2.24E+01	В			2.38E+01	В		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND				ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	5.55E+01			YES	3.21E+01				2.69E+01				5.72E+01			YES
Zinc	mg/kg	3.49E+01	2.34E+03	3.45E+01	J			1.45E+01				1.35E+01				1.04E+01			
VOLATILE ORGANIC COMPOUNI	os																		
2-Butanone	mg/kg	NA	4.66E+03	NR				NR				NR				NR			
Acetone	mg/kg	NA	7.76E+02	NR				NR				NR				NR			
Toluene	mg/kg	NA	1.55E+03	NR				NR				NR				NR		<u> </u>	
p-Cymene	mg/kg	NA	1.55E+03	NR				NR				NR				NR			
SEMIVOLATILE ORGANIC COMP	OUNDS													·			·		
Fluoranthene	mg/kg	NA	3.09E+02	NR				NR				NR				NR			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				NR				NR				NR			
PESTICIDES																			
4,4'-DDT	mg/kg	NA	1.79E+00	NR				NR				NR				NR			
Dieldrin	mg/kg	NA	3.88E-02	NR				NR				NR				NR			
Heptachlor	mg/kg	NA	1.40E-01	NR				NR				NR				NR			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				NR				NR				NR			
EXPLOSIVES																.,,	,		
2,4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND				ND				ND			
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND				ND		<u> </u>	1	ND	L		

Table 2-4

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 18 of 19)

Sample L Parc Sample N Sample Sample	el umber Date				HR-97Q HR-9 QL00 23-Ju 1 -	7Q 019 I-02			HR-97Q HR-9 QL00 24-Ju 1.5 -	97Q 022 11-02	
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS											
Aluminum	mg/kg	1.36E+04	7.80E+03	7.99E+03			YES	7.02E+04		YES	YES
Antimony	mg/kg		3.11E+00	ND				ND			
Arsenic	mg/kg	1.83E+01	4.26E-01	2.96E+00			YES	1.28E+01			YES
Barium	mg/kg	2.34E+02		9.59E+01				1.20E+02			
Beryllium	mg/kg	8.60E-01	9.60E+00	5.31E-01	J			6.91E-01	J		
Cadmium	mg/kg	2.20E-01	6.25E+00	ND				ND			
Calcium	mg/kg	6.37E+02	NA	2.10E+02				1.24E+02			
Chromium	mg/kg	3.83E+01	2.32E+01	8.20E+00				4.43E+01		YES	YES
Cobalt	mg/kg	1.75E+01	4.68E+02	3.37E+00				4.97E+00			
Copper	mg/kg	1.94E+01	3.13E+02	5.83E+00				1.87E+01			
Iron	mg/kg	4.48E+04	2.34E+03	9.35E+03			YES	4.90E+04		YES	YES
Lead	mg/kg	3.85E+01	4.00E+02	2.75E+01	J			2.40E+01	J		
Magnesium	mg/kg	7.66E+02	NA	3.70E+02				7.84E+02		YES	
Manganese	mg/kg	1.36E+03	3.63E+02	4.40E+02			YES	2.31E+02			
Mercury	mg/kg	7.00E-02	2.33E+00	ND				1.43E-01		YES	
Nickel	mg/kg	1.29E+01	1.54E+02	2.32E+00	В			1.64E+01		YES	
Potassium	mg/kg	7.11E+02	NA	3.24E+02	J			6.45E+02			
Selenium	mg/kg	4.70E-01	3.91E+01	ND				2.02E+00		YES	
Silver	mg/kg	2.40E-01	3.91E+01	ND				ND			
Sodium	mg/kg	7.02E+02	NA	2.15E+01	J			3.56E+01	J		
Thallium	mg/kg	1.40E+00	5.08E-01	ND				ND			
Vanadium	mg/kg	6.49E+01	5.31E+01	9.78E+00				8.18E+01		YES	YES
Zinc	mg/kg	3.49E+01	2.34E+03	1.36E+01	J			3.74E+01	J	YES	
VOLATILE ORGANIC COMPOUNI					<u> </u>						***************************************
2-Butanone	mg/kg	NA	4.66E+03	NR				ND			
Acetone	mg/kg	NA	7.76E+02	NR				5.20E-02	J		
Toluene	mg/kg	NA	1.55E+03	NR				ND			
p-Cymene	mg/kg	NA	1.55E+03	NR				ND			
SEMIVOLATILE ORGANIC COMP					·····						•
Fluoranthene	mg/kg	NA	3.09E+02	NR				ND			
N-Nitrosodiphenylamine	mg/kg	NA	1.29E+02	NR				ND			
PESTICIDES	· · · · · ·										
4,4'-DDT	mg/kg	NA	1.79E+00	NR				ND			
Dieldrin	mg/kg	NA	3.88E-02	NR				ND			
Heptachlor	mg/kg	NA	1.40E-01	NR				ND			
alpha-Chlordane	mg/kg	NA	1.69E+00	NR				ND			
gamma-Chlordane	mg/kg	NA	1.69E+00	NR				ND			
EXPLOSIVES					·	•			*	•	
2.4-Dinitrotoluene	mg/kg	NA	9.27E-01	ND				ND			T
2-Amino-4,6-dinitrotoluene	mg/kg	NA	4.64E-01	ND				ND			

Subsurface Soil Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 19 of 19)

Analyses performed using U.S. Environmental Protection Agency (EPA) SW-846 analytical methods.

- ^a BKG Background. Concentration listed is two times (2x) the arithmetic mean of background metals concentration given in SAIC, 1998, Final Background Metals Survey Report, Fort McClellan, Alabama, July.
- ^b Residential human health site-specific screening level (SSSL) as given in IT, 2000, Final Human Health and Ecological Screening Values and PAH Background Summary Report, Fort McClellan, Calhoun County, Alabama, July.
- B Analyte detected in laboratory or field blank at concentration greater than the reporting limit. J Compound was positively identified; reported value is an estimated concentration. mg/kg - Milligrams per kilogram.

NA - Not available.

ND - Not detected.

NR - Not requested.

Table 2-5

Groundwater Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

(Page 1 of 4)

Sample Lo Parce					HR-145Q HR-14				HR-145Q			<u>.</u>	HR-1460 HR-1		
Sample Nu					QR3				QR3				RK3		
Sample I					14-Au				12-Au				28-Au		
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS, DISSOLVED	<u> </u>					<u> </u>							<u> </u>		
Aluminum	mg/L	2.34E+00	1.56E+00	NR				NR				NR			
Barium	mg/L	1.27E-01	1.10E-01	NR				NR				NR			
Calcium	mg/L	5.65E+01	NA	NR				NR				NR			
Iron	mg/L	7.04E+00	4.69E-01	NR				NR				NR			
Lead	mg/L	8.00E-03	1.50E-02	NR				NR				NR			
Magnesium	mg/L	2.13E+01	NA	NR				NR				NR			
Manganese	mg/L	5.81E-01	7.35E-02	NR				NR				NR			
Potassium	mg/L	7.20E+00	NA	NR				NR				NR			
Selenium	mg/L	NA	7.82E-03	NR				NR				NR			
Sodium	mg/L	1.48E+01	NA	NR				NR				NR			
METALS, TOTAL		,			<u> </u>					,					
Aluminum	mg/L	2.34E+00	1.56E+00	1.66E-01	В			2.36E-01	В			1.94E+00			YES
Arsenic	mg/L	1.78E-02	4.46E-05	ND				ND				3.79E-03	J		YES
Barium	mg/L	1.27E-01	1.10E-01	1.55E-02				3.11E-02				1.37E-02			
Calcium	mg/L	5.65E+01	NA	8.79E-01	J			3.50E+00				5.63E-01	J		
Cobalt	mg/L	2.34E-02	9.39E-02	1.86E-02	J			2.04E-02				ND			
Copper	mg/L	2.55E-02	6.26E-02	ND				ND				ND			
Iron	mg/L	7.04E+00	4.69E-01	2.22E-01	J			6.75E-01	J		YES	7.75E-01	J		YES
Lead	mg/L	8.00E-03	1.50E-02	ND				ND				ND			
Magnesium	mg/L	2.13E+01	NA	5.53E-01	J			1.23E+00				2.71E-01	J		
Manganese	mg/L	5.81E-01	7.35E-02	1.17E-01			YES	1.69E+00		YES	YES	2.72E-01			YES
Potassium	mg/L	7.20E+00	NA	2.27E+00	J			1.62E+00	В			1.85E+00	J		
Selenium	mg/L	NA	7.82E-03	ND				ND				ND			
Sodium	mg/L	1.48E+01	NA	8.31E-01	J			9.30E-01	J			7.89E-01	J		
Zinc	mg/L	2.20E-01	4.69E-01	ND				ND				ND			
VOLATILE ORGANIC COMPOUND	S														
Methylene chloride	mg/L	NA	7.85E-03	NR				NR				NR			
EXPLOSIVES															
1,3,5-Trinitrobenzene	mg/L	NA	4.69E-02	ND				ND				ND			
2,4,6-Trinitrotoluene	mg/L	NA	2.23E-03	ND				ND				ND			

Table 2-5

Groundwater Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

(Page 2 of 4)

Sample Lo Parce Sample Nu	el				HR-146Q HR-14	46Q			HR-147Q HR-14 QN3	47Q			HR-148C HR-1 QS3	48Q 001	
Sample I	Date				29-Au	g-02			23-Au	g-02			14-Au	×	
Parameter	Units	BKG ^a	SSSL⁵	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS, DISSOLVED			***************************************												
Aluminum	mg/L	2.34E+00	1.56E+00	NR				NR				NR			
Barium	mg/L	1.27E-01	1.10E-01	NR				NR				NR			
Calcium	mg/L	5.65E+01	NA	NR				NR				NR			
Iron	mg/L	7.04E+00	4.69E-01	NR				NR				NR			
Lead	mg/L	8.00E-03	1.50E-02	NR				NR				NR			
Magnesium	mg/L	2.13E+01	NA	NR				NR				NR			
Manganese	mg/L	5.81E-01	7.35E-02	NR				NR				NR			
Potassium	mg/L	7.20E+00	NA	NR				NR				NR			
Selenium	mg/L	NA	7.82E-03	NR				NR				NR			
Sodium	mg/L	1.48E+01	NA	NR				NR				NR			
METALS, TOTAL															
Aluminum	mg/L	2.34E+00	1.56E+00	5.55E-01				5.83E-02	В			ND			
Arsenic	mg/L	1.78E-02	4.46E-05	ND				ND				ND			
Barium	mg/L	1.27E-01	1.10E-01	2.30E-02				1.40E-02				1.30E-02	·		
Calcium	mg/L	5.65E+01	NA	8.34E-01	J			1.24E+00				2.34E+00			
Cobalt	mg/L	2.34E-02	9.39E-02	ND				ND		<u> </u>		ND			
Copper	mg/L	2.55E-02	6.26E-02	ND				ND				ND			
Iron	mg/L	7.04E+00	4.69E-01	2.47E-01	J			6.74E-02	J			3.09E-02			
Lead	mg/L	8.00E-03	1.50E-02	1.61E-03	J			ND				1.38E-03			
Magnesium	mg/L	2.13E+01	NA	3.56E-01	J			7.09E-01	J			9.27E-01	J		
Manganese	mg/L	5.81E-01	7.35E-02	1.48E-01			YES	3.91E-01			YES	6.54E-02			
Potassium	mg/L	7.20E+00	NA	1.57E+00	J			2.44E+00	J			1.37E+00	J		
Selenium	mg/L	NA	7.82E-03	ND				ND				ND			
Sodium	mg/L	1.48E+01	NA	8.23E-01	J			1.07E+00				7.62E-01	J		
Zinc	mg/L	2.20E-01	4.69E-01	ND				ND				ND			
VOLATILE ORGANIC COMPOUND	S														
Methylene chloride	mg/L	NA	7.85E-03	NR				NR				4.30E-04	В		
EXPLOSIVES															
1,3,5-Trinitrobenzene	mg/L	NA	4.69E-02	ND				ND				3.20E-04	J		
2,4,6-Trinitrotoluene	mg/L	NA	2.23E-03	ND				ND				ND			

Table 2-5

Groundwater Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

(Page 3 of 4)

Sample Lo Parce Sample Nu Sample I	l ımber				HR-94Q- HR-9 RJ30 10-Se	94Q 901			HR-94Q- HR-9 RJ30 4-Sep	4Q 003	d garde		HR-95Q HR-9 QW3 22-Au	5Q 001	
Parameter	Units	BKG ^a	SSSL⁵	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS, DISSOLVED															
Aluminum	mg/L	2.34E+00	1.56E+00	5.99E-01				NR				NR			
Barium	mg/L	1.27E-01	1.10E-01	2.17E-02				NR				NR			
Calcium	mg/L	5.65E+01	NA	2.05E+00				NR				NR			
Iron	mg/L	7.04E+00	4.69E-01	7.21E-01			YES	NR				NR			
Lead	mg/L	8.00E-03	1.50E-02	1.50E-03	J			NR				NR			
Magnesium	mg/L	2.13E+01	NA	1.13E+00				NR				NR			
Manganese	mg/L	5.81E-01	7.35E-02	1.98E-01			YES	NR				NR			
Potassium	mg/L	7.20E+00	NA	2.92E+00	J			NR				NR			
Selenium	mg/L	NA	7.82E-03	3.37E-03	В			NR				NR			
Sodium	mg/L	1.48E+01	NA	9.12E-01	В			NR				NR			
METALS, TOTAL															
Aluminum	mg/L	2.34E+00	1.56E+00	1.22E+00				1.43E-01	В			1.55E-01	В		
Arsenic	mg/L	1.78E-02	4.46E-05	ND				ND				ND			
Barium	mg/L	1.27E-01	1.10E-01	3.27E-02				2.19E-02				1.33E-02			
Calcium	mg/L	5.65E+01	NA	2.03E+00				1.49E+00				2.17E+00			
Cobalt	mg/L	2.34E-02	9.39E-02	ND				ND				ND			
Copper	mg/L	2.55E-02	6.26E-02	ND				ND				1.39E-02			
Iron	mg/L	7.04E+00	4.69E-01	1.83E+00			YES	1.18E-01	J			3.39E-01	J		
Lead	mg/L	8.00E-03	1.50E-02	2.84E-03	J			ND				ND			
Magnesium	mg/L	2.13E+01	NA	1.16E+00				6.79E-01	J			1.01E+00			
Manganese	mg/L	5.81E-01	7.35E-02	2.76E-01			YES	4.06E-01			YES	2.92E-01			YES
Potassium	mg/L	7.20E+00	NA	3.36E+00	J			3.98E+00	J			2.68E+00	J		
Selenium	mg/L	NA	7.82E-03	4.62E-03	В			3.33E-03				ND			
Sodium	mg/L	1.48E+01	NA	8.77E-01	В			1.09E+00	В			1.26E+00			
Zinc	mg/L	2.20E-01	4.69E-01	ND				ND				1.09E-01			
VOLATILE ORGANIC COMPOUND	S									,					
Methylene chloride	mg/L	NA	7.85E-03	ND				NR				NR			<u> </u>
EXPLOSIVES														,	
1,3,5-Trinitrobenzene	mg/L	NA	4.69E-02	ND				ND				ND			
2,4,6-Trinitrotoluene	mg/L	NA	2.23E-03	ND				ND		<u> </u>		ND			

Groundwater Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

(Page 4 of 4)

Sample Lo					HR-95Q- HR-9				HR-95Q HR-9				HR-96Q HR-9		
Sample Nu	ımber				QW3	002			QW3	004			QP3	001	ľ
Sample I					20-Au	g-02			21-Au	g-02			15-Au	g-02	
Parameter	Units	BKG ^a	SSSL ^b	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL	Result	Qual	>BKG	>SSSL
METALS, DISSOLVED															
Aluminum	mg/L	2.34E+00	1.56E+00	NR				NR				NR			
Barium	mg/L	1.27E-01	1.10E-01	NR				NR				NR			
Calcium	mg/L	5.65E+01	NA	NR				NR				NR			
Iron	mg/L	7.04E+00	4.69E-01	NR				NR				NR			
Lead	mg/L	8.00E-03	1.50E-02	NR		,		NR				NR			
Magnesium	mg/L	2.13E+01	NA	NR				NR				NR			
Manganese	mg/L	5.81E-01	7.35E-02	NR				NR				NR			
Potassium	mg/L	7.20E+00	NA	NR				NR				NR			<u> </u>
Selenium	mg/L	NA	7.82E-03	NR				NR				NR			
Sodium	mg/L	1.48E+01	NA	NR				NR				NR			
METALS, TOTAL															
Aluminum	mg/L	2.34E+00	1.56E+00	ND				ND				2.87E-01			
Arsenic	mg/L	1.78E-02	4.46E-05	ND				ND				ND			
Barium	mg/L	1.27E-01	1.10E-01	7.63E-03				1.26E-02				1.27E-02			
Calcium	mg/L	5.65E+01	NA	9.59E-01	J			1.08E+00				1.93E+00			
Cobalt	mg/L	2.34E-02	9.39E-02	ND				ND				2.29E-02			
Copper	mg/L	2.55E-02	6.26E-02	ND				ND				ND			
Iron	mg/L	7.04E+00	4.69E-01	1.05E-02	J			3.74E-02	J			5.20E-01	J		YES
Lead	mg/L	8.00E-03	1.50E-02	ND				ND				ND			
Magnesium	mg/L	2.13E+01	NA	4.01E-01				5.87E-01				7.60E-01	J		
Manganese	mg/L	5.81E-01	7.35E-02	7.94E-02			YES	4.50E-02	J			2.37E-01			YES
Potassium	mg/L	7.20E+00	NA	2.43E+00	J			ND				2.35E+00	В		ļl
Selenium	mg/L	NA	7.82E-03	ND				ND				ND			
Sodium	mg/L	1.48E+01	NA	8.91E-01	J			7.89E-01	В			1.40E+00			
Zinc	mg/L	2.20E-01	4.69E-01	ND				ND				ND			
VOLATILE ORGANIC COMPOUND	S														
Methylene chloride	mg/L	NA	7.85E-03	ND				NR				NR			L
EXPLOSIVES															
1,3,5-Trinitrobenzene	mg/L	NA	4.69E-02	ND				ND				ND			<u> </u>
2,4,6-Trinitrotoluene	mg/L	NA	2.23E-03	ND				ND				6.80E-04	J		

Analyses performed using U.S. Environmental Protection Agency (EPA) SW-846 analytical methods.

mg/L - Milligrams per liter.

NA - Not available.

ND - Not detected.

NR - Not requested.

^a BKG - Background. Concentration listed is two times (2x) the arithmetic mean of background metals concentration given in SAIC, 1998, Final Background Metals Survey Report, Fort McClellan, Alabama, July.

^b Residential human health site-specific screening level (SSSL) as given in IT, 2000, Final Human Health and Ecological Screening Values and PAH Background Summary Report, Fort McClellan, Calhoun County, Alabama, July.

B - Analyte detected in laboratory or field blank at concentration greater than the reporting limit.

J - Compound was positively identified; reported value is an estimated concentration.

Surface Water Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

	Sample	Location		I		HR-13	1Q-SW/S	D01			HR-14	15Q-SW/S	D02			HR-9	5Q-SW/S	D01	
	Par	cel				ŀ	IR-131Q					HR-145Q					HR-95Q		
	Sample	Number					QY2001				(R2003R					QW2001		
	Sampl	e Date		Ì		1	8-Jul-02				(6-Sep-02					18-Jul-02		
Parameter	Units	BKG ^a	SSSL ^b	ESV ^b	Result	Qual	>BKG	>SSSL	>ESV	Result	Qual	>BKG	>SSSL	>ESV	Result	Qual	>BKG	>SSSL	>ESV
METALS																			
Aluminum	mg/L	5.26E+00	1.53E+01	8.70E-02	1.62E-01	J			YES	3.38E-01				YES	1.17E-01	J			YES
Barium	mg/L	7.54E-02	1.10E+00	3.90E-03	2.27E-02				YES	3.46E-02				YES	2.18E-02				YES
Calcium	mg/L	2.52E+01	NA	1.16E+02	9.13E-01	J				3.78E-01	J				2.65E-01	J			
Cobalt	mg/L	NA	9.31E-01	3.00E-03	1.83E-02	J			YES	ND					ND				
Copper	mg/L	1.27E-02	6.23E-01	6.54E-03	6.28E-03	J				ND					6.90E-03				YES
Iron	mg/L	1.96E+01	4.70E+00	1.00E+00	3.32E-01	J				5.37E-01	J				7.07E-01	J			
Lead	mg/L	8.67E-03	1.50E-02	1.32E-03	ND					2.35E-03				YES	ND				
Magnesium	mg/L	1.10E+01	NA	8.20E+01	3.04E-01	J				4.12E-01	J				3.24E-01	J			ıl
Manganese	mg/L	5.65E-01	6.40E-01	8.00E-02	9.78E-03	J				5.89E-02	J				2.86E-02	J			
Potassium	mg/L	2.56E+00	NA	5.30E+01	1.32E+00	J				2.62E+00	J	YES			2.29E+00	J			
Sodium	mg/L	3.44E+00	NA	6.80E+02	1.16E+00					1.08E+00					1.16E+00				
VOLATILE ORGANIC CO	MPOUN	DS																	
Methylene chloride	mg/L	NA	1.42E-01	1.93E+00	NR					NR					3.00E-04	В			

Analyses performed using U.S. Environmental Protection Agency (EPA) SW-846 analytical methods.

mg/L - Milligrams per liter.

NA - Not available.

ND - Not detected.

NR - Not requested.

^a BKG - Background. Concentration listed is two times (2x) the arithmetic mean of background metals concentration given in SAIC, 1998, Final Background Metals Survey Report, Fort McClellan, Alabama, July.

^b Recreational site user site-specific screening level (SSSL) and ecological screening value (ESV) as given in IT, 2000, Final Human Health and Ecological Screening Values and PAH Background Summary Report, Fort McClellan, Calhoun County, Alabama, July.

B - Analyte detected in laboratory or field blank at concentration greater than the reporting limit.

J - Compound was positively identified; reported value is an estimated concentration.

Sediment Analytical Results Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

	Sample Lo Parce	el					31Q-SW/S HR-131Q	D01			ı	45Q-SW/S HR-145Q	D02				5Q-SW/S HR-95Q	D01	
	Sample N						QY1001					2R1002R					QW1001		
	Sample					•	18-Jul-02				(6-Sep-02					18-Jul-02		
	Sample Dep	th (Feet)					05					05					05		
Parameter	Units	BKG ^a	SSSL⁵	ESV ^b	Result	Qual	>BKG	>SSSL	>ESV	Result	Qual	>BKG	>SSSL	>ESV	Result	Qual	>BKG	>SSSL	>ESV
METALS																			
Aluminum	mg/kg	8.59E+03	1.15E+06		6.66E+03					2.62E+03					4.14E+03				
Arsenic	mg/kg	1.13E+01								2.34E+00					2.60E+00				
Barium	mg/kg	9.89E+01		NA	1.25E+02		YES			8.01E+01					6.29E+01				
Beryllium	mg/kg	9.70E-01	1.50E+02	NA	6.50E-01	J				6.13E-01	J				4.86E-01				
Calcium	mg/kg	1.11E+03	NA	NA	4.99E+02					2.50E+02					1.66E+02	J	ļ		
Chromium	mg/kg	3.12E+01	2.79E+03		1.60E+01					4.73E+00					6.38E+00				
Cobalt	mg/kg	1.10E+01	6.72E+04	5.00E+01	1.93E+01		YES			3.87E+00					4.10E+00				
Copper	mg/kg	1.71E+01	4.74E+04	1.87E+01	2.95E+01		YES		YES	7.97E+00					1.58E+01	J			
Iron	mg/kg	3.53E+04	3.59E+05	NA	1.50E+04					1.83E+04					1.51E+04				
Lead	mg/kg	3.78E+01	4.00E+02	3.02E+01	3.04E+01				YES	1.94E+01					3.47E+01			ļ	YES
Magnesium	mg/kg	9.06E+02	NA	NA	3.11E+02					1.99E+02					1.85E+02				
Manganese	mg/kg	7.12E+02	4.38E+04	NA	9.02E+02		YES			3.16E+02					2.51E+02	J			
Nickel	mg/kg	1.30E+01	1.76E+04	1.59E+01	9.51E+00					3.93E+00					2.52E+00				
Potassium	mg/kg	1.01E+03		NA	9.09E+02					1.12E+03		YES			9.56E+02				
Selenium	mg/kg	7.20E-01	5.96E+03	NA	9.19E-01	J	YES			ND					7.36E-01		YES		
Sodium	mg/kg	6.92E+02	NA	NA	ND					2.37E+01	J				2.32E+01	J			
Vanadium	mg/kg	4.09E+01	4.83E+03	NA	1.11E+01					6.58E+00					8.39E+00				
Zinc	mg/kg	5.27E+01	3.44E+05	1.24E+02	3.42E+01					7.04E+00					1.05E+01	J	<u> </u>		
TOTAL ORGANIC CAR	BON																		
Total Organic Carbon	mg/kg	NA	NA	NA	3.73E+04					3.53E+03					8.86E+03				
VOLATILE ORGANIC C	OMPOUNDS																		
Acetone	mg/kg	NA	1.03E+05	4.53E-01	NR					NR					5.40E-02	J			

Analyses performed using U.S. Environmental Protection Agency (EPA) SW-846 analytical methods.

NA - Not available.

ND - Not detected.

NR - Not requested.

^a BKG - Background. Concentration listed is two times (2x) the arithmetic mean of background metals concentration given in SAIC, 1998, *Final Background Metals Survey Report, Fort McClellan, Alabama*, July.

^b Recreational site user site-specific screening level (SSSL) and ecological screening value (ESV) as given in IT, 2000, Final Human Health and Ecological Screening Values and PAH Background Summary Report, Fort McClellan, Calhoun County, Alabama, July.

B - Analyte detected in laboratory or field blank at concentration greater than the reporting limit.

J - Compound was positively identified; reported value is an estimated concentration. mg/kg - Milligrams per kilogram.

Table 3-1

Summary of Data Quality Objectives Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Remedial Investigation Fort McClellan, Calhoun County, Alabama

	Available		Media of	Data Uses and			
Users	Data	Conceptual Site Model	Concern	Objectives	Data Types	Analytical Level	Data Quantity
EPA, ADEM USACE, DOD FTMC, IT Corporation Other contractors, and possible future land users	Previous site investigations by IT show potential metals contamination in soil.	Contaminant Source Parcels 94Q, 95Q, 96Q, 97Q, 131Q-X, 144Q-X, 145Q-X, 146Q, 147Q-X, 148Q-X Migration Pathways Rain runoff and erosion to surface soil, infiltration and leaching to subsurface soil and groundwater, dust emissions and volatilization to ambient air, runoff to surface water, erosion to sediment, biotransfer to deer through browsing, and ecological receptors through food web interactions. Potential Human Health Receptors	Surface soil Subsurface Soil Groundwater Surface water Sediment	RI to delineate vertical and horizontal extent of	Surface soil VOCs, SVOCs, metals, nitroaromatic/nitramine explosives, chlorinated and organophosphorus pesticides, chlorinated herbicides and PCBs Subsurface Soil VOCs, SVOCs, metals, nitroaromatic/nitramine explosives, chlorinated and organophosphorus pesticides, chlorinated herbicides and PCBs Groundwater VOCs, SVOCs, metals, nitroaromatic/nitramine explosives, chlorinated and organophosphorus	Definitive data in data packages (as defined in USACE EM200-1-6) Definitive data in data packages (as defined in USACE EM200-1-6) Definitive data in data packages (as defined in data packages (as defined in	100 surface soil samples + QC 100 subsurface soil samples + QC 25 groundwater samples + QC
		Recreational site user (current and future) Resident (future) Potential Ecological Receptors Terrestrial and aquatic plants Terrestrial and aquatic herbivores Terrestrial and aquatic invertivores Terrestrial and aquatic carnivores Piscivores PSSC Primarily metals in soil			pesticides, chlorinated herbicides and PCBs Surface water VOCs, SVOCs, metals, nitroaromatic/nitramine explosives, chlorinated and organophosphorus pesticides, chlorinated herbicides and PCBs Sediment VOCs, SVOCs, metals, nitroaromatic/nitramine explosives, chlorinated and organophosphorus pesticides, chlorinated herbicides and PCBs; plus TOC and grain size	data packages (as defined in USACE EM200-1-6)	30 surface water samples + QC 30 sediment samples + QC

ADEM - Alabama Department of Environmental Management.

EPA - U.S. Environmental Protection Agency.

FTMC - Fort McClellan.

PSSC - Potential site-specific chemical.

QC - Quality control.

RI - Remedial investigation.

TOC - Total organic carbon

PCB - polychlorinated biphenyls

VOC - Volatile Organic Compounds.

SVOC - Semi-volatile Organic Compounds.

EM200-1-6 - USACE Engineering Manual, Chemical Quality Assurance for HTRW Projects, October 10, 1997.

USACE - U.S. Army Corps of Engineers.

Table 4-1

Page 1 of 10

XRF Grid Node	Easting	Northing
0, 0	694829	1175583
0, N200	694829	1175783
0, N400	694829	1175983
0, N600	694829	1176183
0, N800	694829	1176383
0, N1000	694829	1176583
0, N1200	694829	1176783
0, N1400	694829	1176983
0, N1600	694829	1177183
0, N1800	694829	1177383
0, N2000	694829	1177583
0, N2200	694829	1177783
0, N2400	694829	1177983
0, N2600	694829	1178183
0, S200	694829	1175383
0, S400	694829	1175183
0, S600	694829	1174983
0, S800	694829	1174783
0, S1000	694829	1174583
0, S1200	694829	1174383
0, S1400	694829	1174183
0, S1600	694829	1173983
0, S1800	694829	1173783
0, S2000	694829	1173583
0, S2200	694829	1173383
0, S2400	694829	1173183
E200, 0	695029	1175583
E200, N200	695029	1175783
E200, N400	695029	1175983
E200, N600	695029	1176183
E200, N800	695029	1176383
E200, N1000	695029	1176583
E200, N1200	695029	1176783
E200, N1400	695029	1176983
E200, N1600	695029	1177183
E200, N1800	695029	1177383
E200, N2000	695029	1177583
E200, N2200	695029	1177783
E200, N2400	695029	1177983
E200, N2600	695029	1178183
E200, S200	695029	1175383
E200, S400	695029	1175183
E200, S600	695029	1174983
E200, S800	695029	1174783
E200, S1000	695029	1174583
E200, S1200	695029	1174383
E200, S1400	695029	1174183
E200, S1600	695029	1173983
E200, S1800	695029	1173783
E200, S2000	695029	1173583
E200, S2200	695029	1173383
E200, S2400	695029	1173183

Table 4-1

Page 2 of 10

XRF Grid Node	Easting	Northing
E400, 0	695229	1175583
E400, N200	695229	1175783
E400, N400	695229	1175983
E400, N600	695229	1176183
E400, N800	695229	1176383
E400, N1000	695229	1176583
E400, N1200	695229	1176783
E400, N1400	695229	1176983
E400, N1600	695229	1177183
E400, N1800	695229	1177383
E400, N2000	695229	1177583
E400, N2200	695229	1177783
E400, N2400	695229	1177983
E400, N2600	695229	1178183
E400, S200	695229	1175383
E400, S400	695229	1175183
E400, S600	695229	1174983
E400, S800	695229	1174783
E400, S1000	695229	1174583
E400, S1200	695229	1174383
E400, S1400	695229	1174183
E400, S1600	695229	1173983
E400, S1800	695229	1173783
E400, S2000	695229	1173583
E400, S2200	695229	1173383
E400, S2400	695229	1173183
E600, 0	695429	1175583
E600, N200	695429	1175783
E600, N400	695429	1175983
E600, N600	695429	1176183
E600, N800	695429	1176383
E600, N1000	695429	1176583
E600, N1200	695429	1176783
E600, N1400	695429	1176983
E600, N1600	695429	1177183
E600, N1800	695429	1177383
E600, N2000	695429	1177583
E600, N2200	695429	1177783
E600, N2400	695429	1177983
E600, N2600	695429	1178183
E600, S200	695429	1175383
E600, S400	695429	1175183
E600, S600	695429	1174983
E600, S800	695429	1174783
E600, S1000	695429	1174583
E600, S1200	695429	1174383
E600, S1400	695429	1174183
E600, S1600	695429	1173983
E600, S1800	695429	1173783
E600, S2000	695429	1173583
E600, S2200	695429	1173383
E600, S2400	695429	1173183

Table 4-1

Page 3 of 10

XRF Grid Node	Easting	Northing
E800, 0	695629	1175583
E800, N200	695629	1175783
E800, N400	695629	1175983
E800, N600	695629	1176183
E800, N800	695629	1176383
E800, N1000	695629	1176583
E800, N1200	695629	1176783
E800, N1400	695629	1176983
E800, N1600	695629	1177183
E800, N1800	695629	1177383
E800, N2000	695629	1177583
E800, N2200	695629	1177783
E800, N2400	695629	1177983
E800, N2600	695629	1178183
E800, S200	695629	1175383
E800, S400	695629	1175183
E800, S600	695629	1174983
E800, S800	695629	1174783
E800, S1000	695629	1174583
E800, S1200	695629	1174383
E800, S1400	695629	1174183
E800, S1600	695629	1173983
E800, S1800	695629	1173783
E800, S2000	695629	1173583
E800, S2200	695629	1173383
E800, S2400	695629	1173183
E1000, 0	695829	1175583
E1000, N200	695829	1175783
E1000, N400	695829	1175983
E1000, N600	695829	1176183
E1000, N800	695829	1176383
E1000, N1000	695829	1176583
E1000, N1200	695829	1176783
E1000, N1400	695829	1176983
E1000, N1600	695829	1177183
E1000, N1800	695829	1177383
E1000, N2000	695829	1177583
E1000, N2200	695829	1177783
E1000, N2400	695829	1177983
E1000, N2600	695829	1178183
E1000, N2000	695829	1175383
E1000, S200	695829	1175183
E1000, S400		1174983
·	695829	
E1000, S800 E1000, S1000	695829 695829	1174783 1174583
l		
E1000, S1200	695829	1174383
E1000, S1400	695829	1174183
E1000, S1600	695829	1173983
E1000, S1800	695829	1173783
E1000, S2000	695829	1173583
E1000, S2200	695829	1173383
E1000, S2400	695829	1173183

Table 4-1

Page 4 of 10

XRF Grid Node	Easting	Northing
E1200, 0	696029	1175583
E1200, N200	696029	1175783
E1200, N400	696029	1175983
E1200, N600	696029	1176183
E1200, N800	696029	1176383
E1200, N1000	696029	1176583
E1200, N1200	696029	1176783
E1200, N1400	696029	1176983
E1200, N1600	696029	1177183
E1200, N1800	696029	1177383
E1200, N2000	696029	1177583
E1200, N2200	696029	1177783
E1200, N2400	696029	1177983
E1200, N2600	696029	1178183
E1200, S200	696029	1175383
E1200, S400	696029	1175183
E1200, S600	696029	1174983
E1200, S800	696029	1174783
E1200, S1000	696029	1174583
E1200, S1200	696029	1174383
E1200, S1400	696029	1174183
E1200, S1600	696029	1173983
E1200, S1800	696029	1173783
E1200, S2000	696029	1173583
E1200, S2200	696029	1173383
E1200, S2400	696029	1173183
E1400, N400	696229	1175983
E1400, N600	696229	1176183
E1400, N800	696229	1176383
E1400, N1000	696229	1176583
E1400, N1200	696229	1176783
E1400, N1400	696229	1176983
E1400, N1600	696229	1177183
E1400, N1800	696229	1177383
E1400, N2000	696229	1177583
E1400, N2200	696229	1177783
E1400, N2400	696229	1177983
E1400, N2600	696229	1178183
E1600, N400	696429	1175983
E1600, N600	696429	1176183
E1600, N800	696429	1176383
E1600, N1000	696429	1176583
E1600, N1200	696429	1176783
E1600, N1400	696429	1176983
E1600, N1600	696429	1177183
E1600, N1800	696429	1177383
E1600, N2000	696429	1177583
E1600, N2200	696429	1177783
E1600, N2400	696429	1177983
E1600, N2600	696429	1178183

Table 4-1

Page 5 of 10

XRF Grid Node	Easting	Northing
E1800, N400	696629	1175983
E1800, N600	696629	1176183
E1800, N800	696629	1176383
E1800, N1000	696629	1176583
E1800, N1200	696629	1176783
E1800, N1400	696629	1176983
E1800, N1600	696629	1177183
E1800, N1800	696629	1177383
E1800, N2000	696629	1177583
E1800, N2200	696629	1177783
E1800, N2400	696629	1177983
E1800, N2600	696629	1178183
E2000, N400	696829	1175983
E2000, N600	696829	1176183
E2000, N800	696829	1176383
E2000, N1000	696829	1176583
E2000, N1200	696829	1176783
E2000, N1400	696829	1176983
E2000, N1600	696829	1177183
E2000, N1800	696829	1177383
E2000, N2000	696829	1177583
E2000, N2200	696829	1177783
E2000, N2400	696829	1177983
E2000, N2600	696829	1178183
W200, 0	694629	1175583
W200, N200	694629	1175783
W200, N400	694629	1175983
W200, N600	694629	1176183
W200, N800	694629	1176383
W200, N1000	694629	1176583
W200, N1200	694629	1176783
W200, N1400	694629	1176983
W200, N1600	694629	1177183
W200, N1800	694629	1177383
W200, N2000	694629	1177583
W200, N2200	694629	1177783
W200, N2400	694629	1177983
W200, N2600	694629	1178183
W200, S200	694629	1175383
W200, S400	694629	1175183
W200, S600	694629	1174983
W200, S800	694629	1174783
W200, S1000	694629	1174583
W200, S1200	694629	1174383
W200, S1400	694629	1174183
W200, S1600	694629	1173983
W200, S1800	694629	1173783
W200, S2000	694629	1173583
W200, S2200	694629	1173383
W200, S2400	694629	1173183

Table 4-1

Page 6 of 10

XRF Grid Node	Easting	Northing
W400, 0	694429	1175583
W400, N200	694429	1175783
W400, N400	694429	1175983
W400, N600	694429	1176183
W400, N800	694429	1176383
W400, N1000	694429	1176583
W400, N1200	694429	1176783
W400, N1400	694429	1176983
W400, N1600	694429	1177183
W400, N1800	694429	1177383
W400, N2000	694429	1177583
W400, N2200	694429	1177783
W400, N2400	694429	1177983
W400, N2600	694429	1178183
W400, S200	694429	1175383
W400, S400	694429	1175183
W400, S600	694429	1174983
W400, S800	694429	1174783
W400, S1000	694429	1174583
W400, S1200	694429	1174383
W400, S1400	694429	1174183
W400, S1600	694429	1173983
W400, S1800	694429	1173783
W400, S2000	694429	1173583
W400, S2200	694429	1173383
W400, S2400	694429	1173183
W600, 0	694229	1175583
W600, N200	694229	1175783
W600, N400	694229	1175983
W600, N600	694229	1176183
W600, N800	694229	1176383
W600, N1000	694229	1176583
W600, N1200	694229	1176783
W600, N1400	694229	1176983
W600, N1600	694229	1177183
W600, N1800	694229	1177383
W600, N2000	694229	1177583
	694229	1177783
W600, N2200		1177983
W600, N2400 W600, N2600	694229	
	694229	1178183
W600, N200	694229	1175383
W600, N400	694229	1175183
W600, N600	694229	1174983
W600, N800	694229	1174783
W600, N1000	694229	1174583
W600, N1200	694229	1174383
W600, N1400	694229	1174183
W600, N1600	694229	1173983
W600, N1800	694229	1173783
W600, N2000	694229	1173583
W600, N2200	694229	1173383
W600, N2400	694229	1173183

Table 4-1

Page 7 of 10

XRF Grid Node	Easting	Northing
W800, 0	694029	1175583
W800, N200	694029	1175783
W800, N400	694029	1175983
W800, N600	694029	1176183
W800, N800	694029	1176383
W800, N1000	694029	1176583
W800, N1200	694029	1176783
W800, N1400	694029	1176983
W800, N1600	694029	1177183
W800, N1800	694029	1177383
W800, N2000	694029	1177583
W800, N2200	694029	1177783
W800, N2400	694029	1177983
W800, N2600	694029	1178183
W800, S200	694029	1175383
W800, S400	694029	1175183
W800, S600	694029	1174983
W800, S800	694029	1174783
W800, S1000	694029	1174783
W800, S1200	694029	1174383
W800, S1400	694029	1174183
W800, S1600	694029	1173983
W800, S1800	694029	1173783
W800, S2000	694029	
W800, S2000 W800, S2200	694029	1173583 1173383
W800, S2400	694029	1173183
W1000, 02400	693829	
W1000, 0 W1000, N200	693829	1175583
W1000, N200	693829	1175783
W1000, N600	693829	1175983
W1000, N800	693829	1176183 1176383
W1000, N1000	693829	1176583
W1000, N1200	693829	1176783
W1000, N1400		
W1000, N1600	693829	1176983
W1000, N1800	693829	1177183
W1000, N1000 W1000, N2000	693829	1177383
	693829	1177583
W1000, N2200 W1000, N2400	693829	1177783
	693829 693829	1177983
W1000, N2600	ARCTNOON CONTINUES MINISTER -	1178183
W1000, S200	693829	1175383
W1000, S400	693829	1175183
W1000, S600	693829	1174983
W1000, S800	693829	1174783
W1000, S1000	693829	1174583
W1000, S1200	693829	1174383
W1000, S1400	693829	1174183
W1000, S1600	693829	1173983
W1000, S1800	693829	1173783
W1000, S2000	693829	1173583
W1000, S2200	693829	1173383
W1000, S2400	693829	1173183

Table 4-1

Page 8 of 10

XRF Grid Node	Easting	Northing
W1200, 0	693629	1175583
W1200, N200	693629	1175783
W1200, N400	693629	1175983
W1200, N600	693629	1176183
W1200, N800	693629	1176383
W1200, N1000	693629	1176583
W1200, N1200	693629	1176783
W1200, N1400	693629	1176983
W1200, N1600	693629	1177183
W1200, N1800	693629	1177383
W1200, N2000	693629	1177583
W1200, N2200	693629	1177783
W1200, N2400	693629	1177983
W1200, N2600	693629	1178183
W1200, S200	693629	1175383
W1200, S400	693629	1175183
W1200, S600	693629	1174983
W1200, S800	693629	1174783
W1200, S1000	693629	1174583
W1200, S1200	693629	1174383
W1200, S1400	693629	1174183
W1200, S1600	693629	1173983
W1200, S1800	693629	1173783
W1200, S2000	693629	1173583
W1200, S2200	693629	1173383
W1200, S2400	693629	1173183
W1400, 0	693429	1175583
W1400, 0	693429	1175783
W1400, N400	693429	1175983
W1400, N600	693429	1176183
W1400, N800	693429	1176383
W1400, N1000	693429	1176583
W1400, N1200	693429	1176783
W1400, N1400	693429	1176983
W1400, N1600	693429	1177183
W1400, N1800	693429	1177383
W1400, N2000	693429	1177583
W1400, N2200	693429	1177783
W1400, N2400	693429	1177983
W1400, N2600	693429	1178183
		1175383
W1400, S200	693429 693429	1175183
W1400, S400	693429	1174983
W1400, S600		
W1400, S800	693429	1174783 1174583
W1400, S1000	693429	
W1400, S1200	693429	1174383
W1400, S1400	693429	1174183
W1400, S1600	693429	1173983
W1400, S1800	693429	1173783
W1400, S2000	693429	1173583
W1400, S2200	693429	1173383
W1400, S2400	693429	1173183

Table 4-1

Page 9 of 10

XRF Grid Node	Easting	Northing
W1600, 0	693229	1175583
W1600, N200	693229	1175783
W1600, N400	693229	1175983
W1600, N600	693229	1176183
W1600, N800	693229	1176383
W1600, N1000	693229	1176583
W1600, N1200	693229	1176783
W1600, N1400	693229	1176983
W1600, N1600	693229	1177183
W1600, N1800	693229	1177383
W1600, N2000	693229	1177583
W1600, N2200	693229	1177783
W1600, N2400	693229	1177983
W1600, N2600	693229	1178183
W1600, S200	693229	1175383
W1600, S400	693229	1175183
W1600, S600	693229	1174983
W1600, S800	693229	1174783
W1600, S1000	693229	1174583
W1600, S1200	693229	1174383
W1600, S1400	693229	1174183
W1600, S1600	693229	1173983
W1600, S1800	693229	1173783
W1600, S1000	693229	1173583
W1600, S2000	693229	1173383
W1600, S2400	693229	1173183
W1800, 0	693029	1175583
W1800, 0	693029	1175783
W1800, N400	693029	1175783
W1800, N600	693029	1176183
W1800, N800		1176383
W1800, N1000	693029 693029	1176583
W1800, N1200	693029	1176783
W1800, N1400	693029	1176983
W1800, N1600	693029	1177183
W1800, N1800		
	693029 693029	1177383
W1800, N2000	693029	1177583 1177783
W1800, N2200		f
W1800, N2400	693029	1177983
W1800, N2600	693029	1178183
W1800, S200	693029	1175383
W1800, S400	693029	1175183
W1800, S600	693029	1174983
W1800, S800	693029	1174783
W1800, S1000	693029	1174583
W1800, S1200	693029	1174383
W1800, S1400	693029	1174183
W1800, S1600	693029	1173983
W1800, S1800	693029	1173783
W1800, S2000	693029	1173583
W1800, S2200	693029	1173383
W1800, S2400	693029	1173183

Table 4-1

Page 10 of 10

Range Fan XRF Sample Locations

Sample Location	Easting	Northing
CCX01	691861	1172451
CCX02	692065	1173813
CCX03	691519	1175630
CCX04	692028	1176030
CCX05	692436	1178080
CCX06	693244	1178309
CCX07	691769	1179292
CCX08	690732	1179292
CCX09	690519	1177530
CCX10	691478	1176809
CCX11	690003	1176022
CCX12	690115	1174359
CCX13	690799	1174455
CCX14	690207	1172951
CCX15	690378	1171801
CCX16	689274	1170126
CCX17	687936	1169880
CCX18	688236	1170901
CCX19	689099	1171859
CCX20	688369	1173209
CCX21	688194	1174526
CCX22	689194	1174817
CCX23	689078	1177526
CCX24	688282	1177963
CCX25	688740	1179534
CCX26	689982	1179847
CCX27	688144	1181176
CCX28	687986	1179888
CCX29	687511	1178459
CCX30	687115	1177084
CCX31	686886	1175997
CCX32	687061	1174184
CCX33	687186	1171851
CCX34	686590	1169347
CCX35	684803	1169247
CCX36	684157	1171009
CCX37	685449	1171422
CCX38	685403	1173788
CCX39	685319	1175905
CCX40	685844	1177584
CCX41	686286	1179634
CCX42	684415	1178301
CCX43	684019	1175872
CCX44	683140	1174847
CCX45	683915	1172859

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 1 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-94Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-94Q-MW02	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-95Q-MW01	One groundwater	Resample permanent residuum monitoring well. Well was dry at the time of last sampling, however, after increased fall and winter rainfall, the well may have available groundwater for sampling. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-95Q-MW02	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-95Q-MW03	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-96Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-131Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-144Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-145Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-145Q-MW02	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-146Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-146Q-MW02	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-147Q-MW01	One groundwater	Resample permanent residuum monitoring well. Well was dry at the time of last sampling, however, after increased fall and winter rainfall, the well may have available groundwater for sampling. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-147Q-MW02	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.
HR-148Q-MW01	One groundwater	Resample permanent residuum monitoring well. Groundwater sample will be collected from existing monitoring well to provide sample data to assist in characterizing the groundwater for potential contamination and to provide sample data to support RI.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 2 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-MW01	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 125 feet southeast and downslope of sample location HR-146Q-GP04. Soil sample data will aid in determining extent of contaminant results previously found in samples for location HR-146Q-GP04. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW02	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 125 feet east northeast and downslope of sample location HR-146Q-GP02. Soil sample data will aid in determining extent of contaminant results previously found in samples for location HR-146Q-GP02. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW03	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 65 feet southeast and downslope of sample location HR-94Q-GP06. Soil sample data will aid in determining extent of contaminant results previously found in samples for location HR-94Q-GP06. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW04	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 150 feet southeast and downslope of sample location HR-95Q-GP04. Sample data will aid in determining extent of contaminant results previously found in this area of the parcel. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW05	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 100 feet south and downslope of sample location HR-148Q-GP01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP01. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW06	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 200 feet southeast and downslope of sample location HR-148Q-GP03. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP03. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 3 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-MW07	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 50 feet south of sample location HR-97Q-GP05. Sample data will aid in determining extent of contaminant results previously found in this area of the parcel. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW08	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 150 feet southeast of sample location HR-144Q-DEP02. Sample data will aid in determining extent of contaminant results previously found in this area of the parcel. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW09	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 115 feet southeast and downslope of sample location HR-144Q-GP02. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-144Q-GP02. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-MW10	One surface soil, two subsurface soils, and one groundwater	Soil boring location for one surface soil, two subsurface soil samples and a permanent residuum monitoring well to be located approximately 60 feet northeast of sample location HR-94Q-GP02. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-94Q-GP02. Surface soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. The monitoring well will be installed to an approximate depth of 50 feet below ground surface (bgs). Groundwater sample data will be used to establish a local groundwater flow direction and provide information on groundwater quality in the residuum aquifer.
HR-CCRI-GP01	One surface soil and two subsurface soils	Soil boring for one surface soil and two subsurface soil samples to be located approximately 115 feet west and upslope of sample location HR-146Q-GP04. Sample data will aid in determining extent of contaminant results previously found in this area of the parcel. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Soil sample data will also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP02	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 130 feet northeast and downslope of sample location HR-146Q-GP04. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-146Q-GP04. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP03	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 75 feet southwest and upslope of sample location HR-146Q-GP02. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-146Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 4 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP04	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 100 feet northwest and upslope of sample location HR-146Q-GP02. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-146Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP05	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located near the southern border of Parcel 94Q approximately 225 feet west and upslope of sample location HR-94Q-GP06. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-94Q-GP06. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP06	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 100 feet northeast and downslope of sample location HR-94Q-GP06. Sample data will aid in determining extent downslope of contaminant results previously found in samples for location HR-94Q-GP06. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP07	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 110 feet southeast and downslope of sample location HR-94Q-GP08. Sample data will aid in determining extent downslope of contaminant results previously found in samples for location HR-94Q-GP08. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP08	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located in the central western portion of Parcel 94Q approximately 250 feet northeast and upslope of sample location HR-94Q-GP06. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-94Q-GP06. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP09	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located in the western portion of Parcel 94Q approximately 100 feet northwest and upslope of sample location HR-94Q-GP02. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-94Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP10	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 85 feet northeast of sample location HR-94Q-GP02. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-94Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP11	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 140 feet south of sample location HR-95Q-MW01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-95Q-MW01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP12	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 165 feet east of sample location HR-95Q-GP04. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-95Q-GP04. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 5 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP13	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 225 feet northeast and downslope of sample location HR-95Q-MW01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-95Q-MW01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP14	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 180 feet southeast and downslope of sample location HR-95Q-MW02. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-95Q-MW02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP15	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 150 feet east and downslope of sample location HR-95Q-MW01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-95Q-MW01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP16	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 160 feet southeast and downslope of sample location HR-95Q-DEP02. Sample data will aid in determining extent of limited contaminant results previously found in samples for locations HR-95Q-DEP02, HR-95Q-GP09, HR-131Q-GP01, and HR-131Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP17	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 150 feet northwest and upslope of sample location HR-96Q-GP01. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-96Q-GP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP18	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 125 feet southwest and upslope of sample location HR-148Q-GP01. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-148Q-GP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP19	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 175 feet north of sample location HR-148Q-GP01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP20	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 250 feet northeast of sample location HR-148Q-GP01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP21	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 150 feet southeast of sample location HR-148Q-GP01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 6 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP22	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 165 feet southwest of sample location HR-148Q-GP03. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-GP03. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP23	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 100 feet north of sample location HR-148Q-MW01. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-148Q-MW01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP24	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located just outside the eastern central boundary of Parcel 96Q in the eastern portion of Parcel 145Q-X. Sample data will aid in determining extent of potential contaminant in the eastern portion of Parcel 145Q-X. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP25	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 200 feet west of sample location HR-148Q-MW01. Sample data will aid in determining extent of contaminant results previously found in samples for locations HR-148Q-MW01 and HR-148Q-GP03. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP26	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 65 feet southwest of sample location HR-97Q-GP02. Sample data will aid in determining extent of contaminant results previously found in samples for location HR-97Q-GP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP27	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located approximately 65 feet northeast and downslope of sample location HR-97Q-GP06. Sample data will aid in determining extent downslope of contaminant results previously found in samples for location HR-97Q-GP06. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP28	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located in the central-western area of Parcel 144Q-X, west and upslope of sample locations HR-144Q-DEP01. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-144Q-DEP01. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP29	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located 100 feet west and upslope of sample locations HR-144Q-GP02. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-144Q-GP02 and HR-144Q-DEP02. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP30	One surface soil and two subsurface soils	Soil boring location for one surface soil and two subsurface soil samples to be located 85 feet west and upslope of sample locations HR-144Q-GP06. Sample data will aid in determining extent upslope of contaminant results previously found in samples for location HR-144Q-GP06. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 7 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP31	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP32	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP33	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP34	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP35	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP36	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP37	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP38	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP39	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 8 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP40	One surface soil and two subsurface soils	Soil boring location to be determined from XRF surface soil screening results for one surface soil and two subsurface soil samples. Two discrete subsurface soil samples will be collected from 1 to 12 feet bgs based on XRF screening showing the highest lead concentrations. Sample data will be used to determine vertical and horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP41	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP42	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP43	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP44	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP45	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP46	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP47	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP48	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP49	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP50	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP51	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 9 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP52	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP53	One surface soil 、	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP54	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP55	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP56	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP57	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP58	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP59	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP60	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP61	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP62	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP63	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 10 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP64	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP65	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP66	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP67	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP68	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP69	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP70	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP71	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP72	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP73	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP74	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP75	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 11 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP76	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP77	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP78	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP79	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP80	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP81	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP82	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP83	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP84	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP85	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP86	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP87	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 12 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-GP88	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP89	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-GP90	One surface soil	One surface soil sample location to be determined from XRF surface soil screening results to be collected from 0 to 1 foot bgs. Sample data will be used to determine horizontal extent of potential contamination at the parcel to support the RI. Surface soil sample data also be used to assess potential impacts to terrestrial biota that might utilize the site for food and/or habitat purposes.
HR-CCRI-SW/SD01	Surface water and sediment	The sample location is west and upslope of Parcel 146Q-X, in the intermittent stream that flows southeast across the central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff upstream of this area from former training activities outside the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD02	Surface water and sediment	The sample location is inside the western boundary of Parcel 146Q-X, in the intermittent stream that flows southeast across the central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD03	Surface water and sediment	The sample location is in the south-central area of Parcel 146Q-X, in the intermittent stream that flows southeast across the central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD04	Surface water and sediment	The sample location is in the central area of Parcel 146Q-X, in the intermittent stream that flows east across the central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD05	Surface water and sediment	The sample location is in the central area of Parcel 146Q-X, in the intermittent stream that flows southeast across the north-central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD06	Surface water and sediment	The sample location is in the north-central area of Parcel 146Q-X, in the intermittent stream that flows southeast across the north-central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD07	Surface water and sediment	The sample location is located in the east-central area of Parcel 146Q-X and downstream of the confluence of two intermittent streams that flow southeast across the central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 13 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-SW/SD08	Surface water and sediment	The sample location is located in the east-central area of Parcel 146Q-X in an intermittent stream that flows east across the east-central area of the parcel. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD09	Surface water and sediment	The sample location is located just outside the eastern boundary Parcel 146Q-X in an intermittent stream that flows east out of the parcel. Sample data will indicate if contaminant releases have occurred from runoff in this area from former training activities in the parcel. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD10	Surface water and sediment	The sample location is west of the northwestern boundary of Parcel 146Q-X and southwest of the western corner of Parcel 94Q, in the intermittent stream that flows southeast across the north-central area of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 94Q and 146Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD11	Surface water and sediment	The sample location is located in the center area of a drainage ditch that flows southeast across the southern area of Parcel 95Q. Sample data will indicate if contaminant releases have occurred from of Parcels 95Q from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD12	Surface water and sediment	The sample location is northwest of the northwestern boundary of Parcel 145Q-X in the intermittent stream that flows southeast across the southwestern area of Parcels 96Q and 145Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 96Q and 145Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD13	Surface water and sediment	The sample location is just outside the northwestern boundary of Parcel 145Q-X in the intermittent stream that flows southeast across the southwestern area of Parcels 96Q and 145Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 96Q and 145Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD14	Surface water and sediment	The sample location is in the western area of Parcel 145Q-X, just inside the boundary of Parcel 96Q in the intermittent stream that flows southeast across the southwestern area of Parcels 96Q and 145Q-X. Sample data will indicate if contaminant releases have occurred from runoff in this area of Parcel 145Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD15	Surface water and sediment	The sample location is located at the northern boundary of Parcel 95Q in the center area of the parcel in an intermittent stream that flows southeast across the northern edge of Parcel 95Q. Sample data will indicate if contaminant releases have occurred from of Parcels 95Q from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD16	Surface water and sediment	The sample location is located just outside the eastern boundary of Parcel 131Q-X in an intermittent stream that flows southeast across the northern edge of Parcel 95Q through the northern area of Parcel 131Q-X. Sample data will indicate if contaminant releases have occurred from of Parcels 95Q from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD17	Surface water and sediment	The sample location is west of the western boundary of Parcel 144Q-X in the intermittent stream that flows east across the central area of Parcel 144Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 97Q and 144Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 14 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-SW/SD18	Surface water and sediment	The sample location is just outside the western boundary of Parcel 144Q-X in the intermittent stream that flows east across the central area of Parcel 144Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 97Q and 144Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD19	Surface water and sediment	The sample location is in the western portion of Parcel 144Q-X in the intermittent stream that flows east across the central area of Parcel 144Q-X. Sample data will indicate if contaminant releases have occurred from runoff in Parcel 144Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD20	Surface water and sediment	The sample location is outside the eastern corner of Parcel 97Q in the intermittent stream that flows southeast across the central area of Parcel 144Q-X and the northeastern corner of Parcel 97Q. Sample data will indicate if contaminant releases have occurred from runoff in Parcels 97Q and 144Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD21	Surface water and sediment	The sample location is south of Parcels 144Q and 147Q-X in the intermittent stream that flows southeast across the east-central area of Parcel 144Q-X and the northeastern corner of Parcel 97Q. Sample data will indicate if contaminant releases have occurred from runoff in Parcels 97Q and 144Q-X from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD22	Surface water and sediment	The sample location is south of Parcels 144Q and 147Q-X in the intermittent stream that flows east in the area south of Parcel 97Q. Sample data will indicate if contaminant releases have occurred from runoff from Parcel 97Q from former training activities in the area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD23	Surface water and sediment	The sample location is south of Parcels 144Q and 147Q-X in the intermittent stream that flows east in the area south of Parcels 97Q, 144Q-X, and 147Q-X. Sample data will indicate if contaminant releases have occurred from runoff from former training activities at Parcels 97Q, 144Q-X, and 147Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD24	Surface water and sediment	The sample location is north of the western portion of Parcel 144Q-X in the intermittent stream that flows southeast just north Parcel 144Q-X. Sample data will indicate if contaminant releases have occurred from runoff upslope of Parcels 97Q, 144Q-X, and 147Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD25	Surface water and sediment	The sample location is in the northern portion of Parcel 147Q-X in the intermittent stream that flows east across the northern area of Parcel 147Q-X. Sample data will indicate if contaminant releases have occurred from runoff in the northern area of Parcel 147Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD26	Surface water and sediment	The sample location is the intermittent stream that flows east just south of Parcel 146Q-X. The sample location is just west of a dirt road in the southeastern area of the parcel. Sample data will indicate if contaminant releases have occurred from runoff downslope of the southern portion of Parcel 146Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD27	Surface water and sediment	The sample location is the intermittent stream that flows east south of Parcel 146Q-X. The sample location is just south of the southeastern corner of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff downslope of the southern portion of Parcel 146Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.

Proposed Sampling Locations and Rationale, Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Calhoun County, Alabama

(Page 15 of 15)

Sample Location	Sample Media	Sample Location Rationale
HR-CCRI-SW/SD28	Surface water and sediment	The sample location is just northeast of Parcel 147Q-X in the intermittent stream that flows east across the northern area of Parcel 147Q-X. The sample location is just upstream of the confluence with another intermittent stream flowing from the northwest. Sample data will indicate if contaminant releases have occurred from runoff in the northern area of Parcels 144Q-X and 147Q-X. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD29	Surface water and sediment	The sample location is just outside the southwest corner of Parcel 146Q-X in the intermittent stream that flows southeast. Sample data will indicate if contaminant releases have occurred from runoff from upslope of former training activities in this area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.
HR-CCRI-SW/SD30	Surface water and sediment	The sample location is in the intermittent stream that flows southeast, outside the southern boundary of Parcel 146Q-X. Sample data will indicate if contaminant releases have occurred from runoff from upslope of former training activities in this area. Sample data will also be used to assess potential impacts to aquatic biota in the waterway and other ecological receptors that may utilize the waterway for food and/or habitat purposes.

XRF QA/QC Soil Sample Designations and QA/QC Sample Quantities, Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Alabama

(Page 1 of 2)

			QA/QC	Samples	
Sample Location	Sample Designation	Sample Depth (feet)	Field Duplicates	MS/MSD	Analytical Suite
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1		Management of the Control of the Con	XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-###	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-###-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a
HR-CCRI-####	HR-CCRI-####-SS-SJ\$\$\$\$-REG	0-1			XRF Metals ^a

XRF QA/QC Soil Sample Designations and QA/QC Sample Quantities, Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, Alabama

(Page 2 of 2)

^a XRF Metals - Arsenic, antimony, copper, lead, and zinc. #### - Unigue location identifier \$\$\$\$ - Unigue sample number FD - Field duplicate.

MS/MSD - Matrix spike/matrix spike duplicate. QA/QC - Quality assurance/quality control. REG - Field sample.

Table 4-4

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 1 of 10)

Sample Location	Sample Designation	Sample Depth (feet)	Field Duplicates	C Samples MS/MSD	Analytical Suite
HR-CCRI-MW01	HR-CCRI-MW01-SS-SJ0001-REG	0-1		HR-CCRI-MW01-SS-SJ0001-MS/MSD	Full Suite of Analyses ^c
	HR-CCRI-MW01-DS-SJ0002-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW01-DS-SJ0003-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW02	HR-CCRI-MW02-SS-SJ0004-REG	0-1	HR-CCRI-MW02-SS-SJ0005-FD		Full Suite of Analyses ^c
	HR-CCRI-MW02-DS-SJ0006-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-MW02-DS-SJ0007-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW03	HR-CCRI-MW03-SS-SJ0008-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW03-DS-SJ0009-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW03-DS-SJ0010-REG	1-12 ^b	HR-CCRI-MW03-DS-SJ0011-FD		Metals and Explosives
HR-CCRI-MW04	HR-CCRI-MW04-SS-SJ0012-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW04-DS-SJ0013-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-MW04-DS-SJ0014-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW05	HR-CCRI-MW05-SS-SJ0015-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW05-DS-SJ0016-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW05-DS-SJ0017-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW06	HR-CCRI-MW06-SS-SJ0018-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW06-DS-SJ0019-REG	1-12 ^a			Full Suite of Analyses ⁰
	HR-CCRI-MW06-DS-SJ0020-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW07	HR-CCRI-MW07-SS-SJ0021-REG	0-1	HR-CCRI-MW07-SS-SJ0022-FD		Full Suite of Analyses ^c
	HR-CCRI-MW07-DS-SJ0023-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW07-DS-SJ0024-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW08	HR-CCRI-MW08-SS-SJ0025-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW08-DS-SJ0026-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW08-DS-SJ0027-REG	1-12 ^b			Metals and Explosives
HR-CCRI-MW09	HR-CCRI-MW09-SS-SJ0028-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW09-DS-SJ0029-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW09-DS-SJ0030-REG	1-12 ^b	HR-CCRI-MW09-DS-SJ0031-FD		Metals and Explosives

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 2 of 10)

		Sample	QA/Q	C Samples	
Sample	Sample Designation	Depth (feet)	Field Duplicates	MS/MSD	Analytical Suite
Location	Sample Designation	(reet)	Duplicates	I WIS/WISD	Analytical Suite
HR-CCRI-MW10	HR-CCRI-MW10-SS-SJ0032-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-MW10-DS-SJ0033-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-MW10-DS-SJ0034-REG	1-12 ^b			Metals and Explosives
HR-CCRI-GP01	HR-CCRI-GP01-SS-SJ0035-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP01-DS-SJ0036-REG	1-12 ^a	HR-CCRI-GP01-DS-SJ0037-FD		Full Suite of Analyses ^c
	HR-CCRI-GP01-DS-SJ0038-REG	1-12 ^b			Lead, Only
HR-CCRI-GP02	HR-CCRI-GP02-SS-SJ0039-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP02-DS-SJ0040-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP02-DS-SJ0041-REG	1-12 ^b		HR-CCRI-GP02-DS-SJ0041-MS/MSD	Lead, Only
HR-CCRI-GP03	HR-CCRI-GP03-SS-SJ0042-REG	0-1	HR-CCRI-GP03-SS-SJ0043-FD		Full Suite of Analyses ^c
	HR-CCRI-GP03-DS-SJ0044-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP03-DS-SJ0045-REG	1-12 ^b			Lead, Only
HR-CCRI-GP04	HR-CCRI-GP04-SS-SJ0046-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP04-DS-SJ0047-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP04-DS-SJ0048-REG	1-12 ^b			Lead, Only
HR-CCRI-GP05	HR-CCRI-GP05-SS-SJ0049-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP05-DS-SJ0050-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP05-DS-SJ0051-REG	1-12 ^b			Lead, Only
HR-CCRI-GP06	HR-CCRI-GP06-SS-SJ0052-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP06-DS-SJ0053-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP06-DS-SJ0054-REG	1-12 ^b			Lead, Only
HR-CCRI-GP07	HR-CCRI-GP07-SS-SJ0055-REG	0-1			Full Suite of Analyses ^C
	HR-CCRI-GP07-DS-SJ0056-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP07-DS-SJ0057-REG	1-12 ^b			Lead, Only
HR-CCRI-GP08	HR-CCRI-GP08-SS-SJ0058-REG	0-1			Metals and Explosives
	HR-CCRI-GP08-DS-SJ0059-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP08-DS-SJ0060-REG	1-12 ^b	HR-CCRI-GP19-DS-SJ0061-FD		Lead, Only

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 3 of 10)

		Sample	QA/Q	C Samples	
Sample Location	Sample Designation	Depth (feet)	Field Duplicates	MS/MSD	Analytical Suite
					•
HR-CCRI-GP09	HR-CCRI-GP09-SS-SJ0062-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP09-DS-SJ0063-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP09-DS-SJ0064-REG	1-12 ^b			Lead, Only
HR-CCRI-GP10	HR-CCRI-GP10-SS-SJ0065-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP10-DS-SJ0066-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP10-DS-SJ0067-REG	1-12 ^b			Lead, Only
HR-CCRI-GP11	HR-CCRI-GP11-SS-SJ0068-REG	0-1	HR-CCRI-GP11-SS-SJ0069-FD		Metals and Explosives
	HR-CCRI-GP11-DS-SJ0070-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP11-DS-SJ0071-REG	1-12 ^b			Lead, Only
HR-CCRI-GP12	HR-CCRI-GP12-SS-SJ0072-REG	0-1		<u> </u>	Metals and Explosives
111 CO111 G1 12	HR-CCRI-GP12-DS-SJ0073-REG	1-12 ^a		HR-CCRI-GP12-DS-SJ0073-MS/MSD	Metals and Explosives Metals and Explosives
	HR-CCRI-GP12-DS-SJ0074-REG	1-12 ^b	****	THE COLL OF THE PERSON OF THE PROPERTY OF THE PERSON OF TH	Lead, Only
HR-CCRI-GP13	HR-CCRI-GP13-SS-SJ0075-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP13-DS-SJ0076-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP13-DS-SJ0077-REG	1-12 ^b			Lead, Only
HR-CCRI-GP14	HR-CCRI-GP14-SS-SJ0078-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP14-DS-SJ0079-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP14-DS-SJ0080-REG	1-12 ^b		HR-CCRI-GP14-DS-SJ0080-MS/MSD	Lead, Only
HR-CCRI-GP15	HR-CCRI-GP15-SS-SJ0081-REG	0-1	HR-CCRI-GP15-SS-SJ0082-FD		Full Suite of Analyses ^c
	HR-CCRI-GP15-DS-SJ0083-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP15-DS-SJ0084-REG	1-12 ^b			Lead, Only
HR-CCRI-GP16	HR-CCRI-GP16-SS-SJ0085-REG	0-1	HR-CCRI-GP16-SS-SJ0086-FD		Metals and Explosives
	HR-CCRI-GP16-DS-SJ0087-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP16-DS-SJ0088-REG	1-12 ^b			Lead, Only
HR-CCRI-GP17	HR-CCRI-GP17-SS-SJ0089-REG	0-1		HR-CCRI-GP17-SS-SJ0089-MS/MSD	Full Suite of Analyses ^c
	HR-CCRI-GP17-DS-SJ0090-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP17-DS-SJ0091-REG	1-12 ^b			Lead, Only

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 4 of 10)

		Sample	QA/Q0	C Samples	
Sample		Depth	Field		
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP18	HR-CCRI-GP18-SS-SJ0092-REG	0-1	HR-CCRI-GP18-SS-SJ0093-FD		Metals and Explosives
	HR-CCRI-GP18-DS-SJ0094-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP18-DS-SJ0095-REG	1-12 ^b			Lead, Only
HR-CCRI-GP19	HR-CCRI-GP19-SS-SJ0096-REG	0-1			Metals and Explosives
	HR-CCRI-GP19-DS-SJ0097-REG	1-12 ^a			Metals and Explosives
	HR-CCRI-GP19-DS-SJ0098-REG	1-12 ^b			Lead, Only
HR-CCRI-GP20	HR-CCRI-GP20-SS-SJ0099-REG	0-1			Full Suite of Analyses ^c
· · · · · · · · · · · · · · · · ·	HR-CCRI-GP20-DS-SJ0100-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP20-DS-SJ0101-REG	1-12 ^b			Lead, Only
HR-CCRI-GP21	HR-CCRI-GP21-SS-SJ0102-REG	0-1	HR-CCRI-GP21-SS-SJ0103-FD		Metals and Explosives
	HR-CCRI-GP21-DS-SJ0104-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP21-DS-SJ0105-REG	1-12 ^b			Lead, Only
HR-CCRI-GP22	HR-CCRI-GP22-SS-SJ0106-REG	0-1			Metals and Explosives
	HR-CCRI-GP22-DS-SJ0107-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP22-DS-SJ0108-REG	1-12 ^b			Lead, Only
HR-CCRI-GP23	HR-CCRI-GP23-SS-SJ0109-REG	0-1			Metals and Explosives
	HR-CCRI-GP23-DS-SJ0110-REG	1-12ª			Metals and Explosives
	HR-CCRI-GP23-DS-SJ0111-REG	1-12 ^b		HR-CCRI-GP23-DS-SJ0111-MSD	Lead, Only
HR-CCRI-GP24	HR-CCRI-GP24-SS-SJ0112-REG	0-1			Metals and Explosives
	HR-CCRI-GP24-DS-SJ0113-REG	1-12 ^a	HR-CCRI-GP24-DS-SJ0114-FD		Metals and Explosives
	HR-CCRI-GP24-DS-SJ0115-REG	1-12 ^b			Lead, Only
HR-CCRI-GP25	HR-CCRI-GP25-SS-SJ0116-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP25-DS-SJ0117-REG	1-12 ^a			Full Suite of Analyses ^c
***************************************	HR-CCRI-GP25-DS-SJ0118-REG	1-12 ^b			Lead, Only
HR-CCRI-GP26	HR-CCRI-GP26-SS-SJ0119-REG	0-1			Full Suite of Analyses ^C
	HR-CCRI-GP26-DS-SJ0120-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP26-DS-SJ0121-REG	1-12 ^b			Lead, Only

Table 4-4

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 5 of 10)

		Sample	QA/Q	C Samples	
Sample		Depth	Field		
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
				·	2
HR-CCRI-GP27	HR-CCRI-GP27-SS-SJ0122-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP27-DS-SJ0123-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP27-DS-SJ0124-REG	1-12 ^b	HR-CCRI-GP27-DS-SJ0125-FD		Lead, Only
HR-CCRI-GP28	HR-CCRI-GP28-SS-SJ0126-REG	0-1			Full Suite of Analyses ^c
7111 00111 01 20	HR-CCRI-GP28-DS-SJ0127-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP28-DS-SJ0128-REG	1-12 ^b			Lead, Only
	7.1.1. COLI. GI 20 20 000 120 1120	1 12			Lead, Offing
HR-CCRI-GP29	HR-CCRI-GP29-SS-SJ0129-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP29-DS-SJ0130-REG	1-12 ^a			Full Suite of Analyses ^c
	HR-CCRI-GP29-DS-SJ0131-REG	1-12 ^b			Lead, Only
	. ID 00D1 0D00 00 0 10 100 DE0				·· - · · · · · · · · · · · · · · · ·
HR-CCRI-GP30	HR-CCRI-GP30-SS-SJ0132-REG	0-1			Full Suite of Analyses ^c
	HR-CCRI-GP30-DS-SJ0133-REG	1-12ª			Full Suite of Analyses ^c
	HR-CCRI-GP30-DS-SJ0134-REG	1-12 ^b			Lead, Only
HR-CCRI-GP31	HR-CCRI-GP31-SS-SJ0135-REG	0-1	HR-CCRI-GP31-SS-SJ0136-FD		Lead, Only
	HR-CCRI-GP31-DS-SJ0137-REG	1-12ª			Lead, Only
	HR-CCRI-GP31-DS-SJ0138-REG	1-12 ^b			Lead, Only
HR-CCRI-GP32	HR-CCRI-GP32-SS-SJ0139-REG	0-1		HR-CCRI-GP32-SS-SJ0139-MS/MSD	Lead, Only
	HR-CCRI-GP32-DS-SJ0140-REG	1-12ª			Lead, Only
	HR-CCRI-GP32-DS-SJ0141-REG	1-12 ^b			Lead, Only
HR-CCRI-GP33	HR-CCRI-GP33-SS-SJ0142-REG	0-1			Lead, Only
	HR-CCRI-GP33-DS-SJ0143-REG	1-12 ^a			Lead, Only
	HR-CCRI-GP33-DS-SJ0144-REG	1-12 ^b	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Lead, Only
<u> </u>					
HR-CCRI-GP34	HR-CCRI-GP34-SS-SJ0145-REG	0-1			Lead, Only
	HR-CCRI-GP34-DS-SJ0146-REG	1-12ª			Lead, Only
	HR-CCRI-GP34-DS-SJ0147-REG	1-12 ^b			Lead, Only
HR-CCRI-GP35	HR-CCRI-GP35-SS-SJ0148-REG	0-1			Lead, Only
	HR-CCRI-GP35-DS-SJ0149-REG	1-12 ^a			Lead, Only
	HR-CCRI-GP35-DS-SJ0150-REG	1-12 ^b			Lead, Only

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 6 of 10)

		Sample	QA/Q		
Sample		Depth	Field		
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP36	HR-CCRI-GP36-SS-SJ0151-REG	0-1			Lead, Only
	HR-CCRI-GP36-DS-SJ0152-REG	1-12 ^a			Lead, Only
	HR-CCRI-GP36-DS-SJ0153-REG	1-12 ^b			Lead, Only
HR-CCRI-GP37	HR-CCRI-GP37-SS-SJ0154-REG	0-1			Lead, Only
	HR-CCRI-GP37-DS-SJ0155-REG	1-12ª			Lead, Only
	HR-CCRI-GP37-DS-SJ0156-REG	1-12 ^b			Lead, Only
HR-CCRI-GP38	HR-CCRI-GP38-SS-SJ0157-REG	0-1			Lead, Only
	HR-CCRI-GP38-DS-SJ0158-REG	1-12 ^a			Lead, Only
	HR-CCRI-GP38-DS-SJ0159-REG	1-12 ^b			Lead, Only
HR-CCRI-GP39	HR-CCRI-GP39-SS-SJ0160-REG	0-1			Lead, Only
	HR-CCRI-GP39-DS-SJ0161-REG	1-12ª			Lead, Only
	HR-CCRI-GP39-DS-SJ0162-REG	1-12 ^b			Lead, Only
HR-CCRI-GP40	HR-CCRI-GP40-SS-SJ0163-REG	0-1	HR-CCRI-GP40-SS-SJ0164-FD		Lead, Only
	HR-CCRI-GP40-DS-SJ0165-REG	1-12ª			Lead, Only
	HR-CCRI-GP40-DS-SJ0166-REG	1-12 ^b			Lead, Only
HR-CCRI-GP41	HR-CCRI-GP41-SS-SJ0167-REG	0-1			Metals and Explosives
HR-CCRI-GP42	HR-CCRI-GP42-SS-SJ0168-REG	0-1			Metals and Explosives
HR-CCRI-GP43	HR-CCRI-GP43-SS-SJ0169-REG	0-1			Metals and Explosives
HR-CCRI-GP44	HR-CCRI-GP44-SS-SJ0170-REG	0-1			Metals and Explosives
HR-CCRI-GP45	HR-CCRI-GP45-SS-SJ0171-REG	0-1	HR-CCRI-GP45-SS-SJ0172-FD		Metals and Explosives
HR-CCRI-GP46	HR-CCRI-GP46-SS-SJ0173-REG	0-1			Metals and Explosives
HR-CCRI-GP47	HR-CCRI-GP47-SS-SJ0174-REG	0-1		HR-CCRI-GP47-SS-SJ0174-MS/MSD	Metals and Explosives

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 7 of 10)

		Sample	QA/QC Samples		
Sample	Occupie Destanceites	Depth	Field	MOMMOD	Amphatical Cuite
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP48	HR-CCRI-GP48-SS-SJ0175-REG	0-1			Metals and Explosives
HR-CCRI-GP49	HR-CCRI-GP49-SS-SJ0176-REG	0-1			Metals and Explosives
HR-CCRI-GP50	HR-CCRI-GP50-SS-SJ0177-REG	0-1			Metals and Explosives
HR-CCRI-GP51	HR-CCRI-GP51-SS-SJ0178-REG	0-1			Metals and Explosives
HR-CCRI-GP52	HR-CCRI-GP52-SS-SJ0179-REG	0-1			Metals and Explosives
HR-CCRI-GP53	HR-CCRI-GP53-SS-SJ0180-REG	0-1			Metals and Explosives
HR-CCRI-GP54	HR-CCRI-GP54-SS-SJ0181-REG	0-1			Metals and Explosives
HR-CCRI-GP55	HR-CCRI-GP55-SS-SJ0182-REG	0-1			Metals and Explosives
HR-CCRI-GP56	HR-CCRI-GP56-SS-SJ0183-REG	0-1			Metals and Explosives
HR-CCRI-GP57	HR-CCRI-GP57-SS-SJ0184-REG	0-1		HR-CCRI-GP57-SS-SJ0184-MS/MSD	Metals and Explosives
HR-CCRI-GP58	HR-CCRI-GP58-SS-SJ0185-REG	0-1			Metals and Explosives

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 8 of 10)

		Sample	QA/Q		
Sample		Depth	Field		
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP59	HR-CCRI-GP59-SS-SJ0186-REG	0-1			Metals and Explosives
HR-CCRI-GP60	HR-CCRI-GP60-SS-SJ0187-REG	0-1			Metals and Explosives
HR-CCRI-GP61	HR-CCRI-GP61-SS-SJ0188-REG	0-1			Lead, Only
HR-CCRI-GP62	HR-CCRI-GP62-SS-SJ0189-REG	0-1			Lead, Only
HR-CCRI-GP63	HR-CCRI-GP63-SS-SJ0190-REG	0-1			Lead, Only
HR-CCRI-GP64	HR-CCRI-GP64-SS-SJ0191-REG	0-1	HR-CCRI-GP64-SS-SJ0192-FD		Lead, Only
HR-CCRI-GP65	HR-CCRI-GP65-SS-SJ0193-REG	0-1			Lead, Only
HR-CCRI-GP66	HR-CCRI-GP66-SS-SJ0194-REG	0-1			Lead, Only
HR-CCRI-GP67	HR-CCRI-GP67-SS-SJ0195-REG	0-1			Lead, Only
HR-CCRI-GP68	HR-CCRI-GP68-SS-SJ0196-REG	0-1			Lead, Only
HR-CCRI-GP69	HR-CCRI-GP69-SS-SJ0197-REG	0-1			Lead, Only
HR-CCRI-GP70	HR-CCRI-GP70-SS-SJ0198-REG	0-1			Lead, Only

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 9 of 10)

		Sample	QA/QC Samples		
Sample		Depth	Field		
Location	Sample Designation	(feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP71	HR-CCRI-GP71-SS-SJ0199-REG	0-1	HR-CCRI-GP71-SS-SJ0200-FD		Lead, Only
HR-CCRI-GP72	HR-CCRI-GP72-SS-SJ0201-REG	0-1			Lead, Only
HR-CCRI-GP73	HR-CCRI-GP73-SS-SJ0202-REG	0-1			Lead, Only
HR-CCRI-GP74	HR-CCRI-GP74-SS-SJ0203-REG	0-1			Lead, Only
HR-CCRI-GP75	HR-CCRI-GP75-SS-SJ0204-REG	0-1	HR-CCRI-GP75-SS-SJ0205-FD		Lead, Only
HR-CCRI-GP76	HR-CCRI-GP76-SS-SJ0206-REG	0-1			Lead, Only
HR-CCRI-GP77	HR-CCRI-GP77-SS-SJ0207-REG	0-1			Lead, Only
HR-CCRI-GP78	HR-CCRI-GP78-SS-SJ0208-REG	0-1			Lead, Only
HR-CCRI-GP79	HR-CCRI-GP79-SS-SJ0209-REG	0-1			Lead, Only
HR-CCRI-GP80	HR-CCRI-GP80-SS-SJ0210-REG	0-1			Lead, Only
HR-CCRI-GP81	HR-CCRI-GP81-SS-SJ0211-REG	0-1			Lead, Only
HR-CCRI-GP82	HR-CCRI-GP82-SS-SJ0212-REG	0-1			Lead, Only

Surface Soil and Subsurface Soil Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcels Fort McClellan, AL

(Page 10 of 10)

		Sample	QA/Q		
Sample Location	Sample Designation	Depth (feet)	Field Duplicates	MS/MSD	Analytical Suite
HR-CCRI-GP83	HR-CCRI-GP83-SS-SJ0213-REG	0-1			Lead, Only
HR-CCRI-GP84	HR-CCRI-GP84-SS-SJ0214-REG	0-1			Lead, Only
HR-CCRI-GP85	HR-CCRI-GP85-SS-SJ0215-REG	0-1	HR-CCRI-GP85-SS-SJ0216-FD		Lead, Only
HR-CCRI-GP86	HR-CCRI-GP86-SS-SJ0217-REG	0-1			Lead, Only
HR-CCRI-GP87	HR-CCRI-GP87-SS-SJ0218-REG	0-1			Lead, Only
HR-CCRI-GP88	HR-CCRI-GP88-SS-SJ0219-REG	0-1			Lead, Only
HR-CCRI-GP89	HR-CCRI-GP89-SS-SJ0220-REG	0-1			Lead, Only
HR-CCRI-GP90	HR-CCRI-GP90-SS-SJ0221-REG	0-1			Lead, Only

a First subsurface soil sample in this boring to be collected 1 to 12 feet below ground surface (bgs).

Explosives - Nitroaromatic/Nitramine Explosives

FD - Field duplicate.

MS/MSD - Matrix spike/matrix spike duplicate.

QA/QC - Quality assurance/quality control.

PCB - Polychlorinated biphenyl

REG - Field sample.

TAL - Target analyte list.

TCL - Target compound list.

SVOCs - Semivolatile organic compounds.

VOCs - Volatile organic compounds.

b Second subsurface soil sample to be collected from different depth interval below the first subsurface soil sample so as to collect 2 discrete subsurface soil samples.

c Full Suite of Analyses -Analyses include TCL VOCs, TCL SVOCs, TAL Metals, and Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's

Groundwater Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcel Fort McClellan, Calhoun County, Alabama

(Page 1 of 2)

			QA/Q0	Samples	
Sample Location	Sample Designation	Sample Matrix	Field Duplicates	MS/MSD	Analytical Suite
HR-94Q-MW01	HR-94Q-MW01-GW-SJ3001-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-94Q-MW02	HR-94Q-MW02-GW-SJ3002-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-95Q-MW01	HR-95Q-MW01-GW-SJ3003-REG	Groundwater	HR-95Q-MW01-GW-SJ3004-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-95Q-MW02	HR-95Q-MW02-GW-SJ3005-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-95Q-MW03	HR-95Q-MW03-GW-SJ3006-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-96Q-MW01	HR-96Q-MW01-GW-SJ3007-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-131Q-MW01	HR-131Q-MW01-GW-SJ3008-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-144Q-MW01	HR-144Q-MW01-GW-SJ3009-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-145Q-MW01	HR-145Q-MW01-GW-SJ3010-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-145Q-MW02	HR-145Q-MW02-GW-SJ3011-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-146Q-MW01	HR-146Q-MW01-GW-SJ3012-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-146Q-MW02	HR-146Q-MW02-GW-SJ3013-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-147Q-MW01	HR-147Q-MW01-GW-SJ3014-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-147Q-MW02	HR-147Q-MW02-GW-SJ3015-REG	Groundwater	HR-147Q-MW02-GW-SJ3016-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's

Groundwater Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Parcel Fort McClellan, Calhoun County, Alabama

(Page 2 of 2)

			QA/Q0	C Samples	
Sample Location	Sample Designation	Sample Matrix	Field Duplicates	MS/MSD	Analytical Suite
HR-148Q-MW01	HR-148Q-MW01-GW-SJ3017-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW01	HR-CCRI-MW01-GW-SJ3018-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW02	HR-CCRI-MW02-GW-SJ3019-REG	Groundwater		HR-CCRI-MW02-GW-RH3019-MS/MSD	TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW03	HR-CCRI-MW03-GW-SJ3020-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW04	HR-CCRI-MW04-GW-SJ3021-REG	Groundwater	,		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW05	HR-CCRI-MW05-GW-SJ3022-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW06	HR-CCRI-MW06-GW-SJ3023-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW07	HR-CCRI-MW07-GW-SJ3024-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW08	HR-CCRI-MW08-GW-SJ3025-REG	Groundwater	HR-CCRI-MW08-GW-SJ3026-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW09	HR-CCRI-MW09-GW-SJ3027-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's
HR-CCRI-MW10	HR-CCRI-MW10-GW-SJ3028-REG	Groundwater			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Herbicides, Pesticides and PCB's

FD - Field duplicate.
MS/MSD - Matrix spike/matrix spike duplicate.
QA/QC - Quality assurance/quality control.
REG - Field sample.

TAL - Target analyte list.
TCL - Target compound list.
SVOCs - Semivolatile organic compounds.
VOCs - Volatile organic compounds.

Surface Water and Sediment Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Ft. McClellan, Alabama

(Page 1 of 3)

	T		C Samples			
Sample Location	Sample Designation	Sample Matrix	Sample Depth (feet)	Field Duplicates	MS/MSD	Analytical Suite
HR-CCRI-SW/SD01	HR-CCRI-SW/SD01-SW-SJ2001-REG HR-CCRI-SW/SD01-SD-SJ1001-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD02	HR-CCRI-SW/SD02-SW-SJ2002-REG HR-CCRI-SW/SD02-SD-SJ1002-REG	Surface water sediment	N/A 0-0.5	HR-CCRI-SW/SD02-SW-SJ2003-FD HR-CCRI-SW/SD02-SD-SJ1003-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD03	HR-CCRI-SW/SD03-SW-SJ2004-REG HR-CCRI-SW/SD03-SD-SJ1004-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD04	HR-CCRI-SW/SD04-SW-SJ2005-REG HR-CCRI-SW/SD04-SD-SJ1005-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD05	HR-CCRI-SW/SD05-SW-SJ2006-REG HR-CCRI-SW/SD05-SD-SJ1006-REG	Surface water sediment	N/A 0-0.5		HR-CCRI-SW/SD05-SW-SJ2006-MS/MSD HR-CCRI-SW/SD05-SD-SJ1006-MS/MSD	TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD06	HR-CCRI-SW/SD06-SW-SJ2007-REG HR-CCRI-SW/SD06-SD-SJ1007-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD07	HR-CCRI-SW/SD07-SW-SJ2008-REG HR-CCRI-SW/SD07-SD-SJ1008-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD08	HR-CCRI-SW/SD08-SW-SJ2009-REG HR-CCRI-SW/SD08-SD-SJ1009-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD09	HR-CCRI-SW/SD09-SW-SJ2010-REG HR-CCRI-SW/SD09-SD-SJ1010-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)

Surface Water and Sediment Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Ft. McClellan, Alabama

(Page 2 of 3)

	T The state of the					
Sample Location	Sample Designation	Sample Matrix	Sample Depth (feet)	Field Duplicates	C Samples MS/MSD	Analytical Suite
HR-CCRI-SW/SD10	HR-CCRI-SW/SD10-SW-SJ2011-REG HR-CCRI-SW/SD10-SD-SJ1011-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD11	HR-CCRI-SW/SD11-SW-SJ2012-REG HR-CCRI-SW/SD11-SD-SJ1012-REG	Surface water sediment	N/A 0-0.5		HR-CCRI-SW/SD11-SW-SJ2012-MS/MSD HR-CCRI-SW/SD11-SD-SJ1012-MS/MSD	TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD12	HR-CCRI-SW/SD12-SW-SJ2013-REG HR-CCRI-SW/SD12-SD-SJ1013-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD13	HR-CCRI-SW/SD13-SW-SJ2014-REG HR-CCRI-SW/SD13-SD-SJ1014-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD14	HR-CCRI-SW/SD14-SW-SJ2015-REG HR-CCRI-SW/SD14-SD-SJ1015-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD15	HR-CCRI-SW/SD15-SW-SJ2016-REG HR-CCRI-SW/SD15-SD-SJ1016-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD16	HR-CCRI-SW/SD16-SW-SJ2017-REG HR-CCRI-SW/SD16-SD-SJ1017-REG	Surface water sediment	N/A 0-0.5	HR-CCRI-SW/SD16-SW-SJ20018-FD HR-CCRI-SW/SD16-SD-SJ10018-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size
HR-CCRI-SW/SD17	HR-CCRI-SW/SD17-SW-SJ2019-REG HR-CCRI-SW/SD17-SD-SJ1019-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD18	HR-CCRI-SW/SD18-SW-SJ2020-REG HR-CCRI-SW/SD18-SD-SJ1020-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD19	HR-CCRI-SW/SD19-SW-SJ2021-REG HR-CCRI-SW/SD19-SD-SJ1021-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD20	HR-CCRI-SW/SD20-SW-SJ2022-REG HR-CCRI-SW/SD20-SD-SJ1022-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)

Surface Water and Sediment Sample Designations and QA/QC Sample Quantities Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Ft. McClellan, Alabama

(Page 3 of 3)

		T				
Sample		Sample	Sample	QA/QC S		1
Location	Sample Designation	Matrix	Depth (feet)	Duplicates	MS/MSD	Analytical Suite
HR-CCRI-SW/SD21	HR-CCRI-SW/SD21-SW-SJ2023-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD21-SD-SJ1023-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD22	HR-CCRI-SW/SD22-SW-SJ2024-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD22-SD-SJ1024-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD23	HR-CCRI-SW/SD23-SW-SJ2025-REG HR-CCRI-SW/SD23-SD-SJ1025-REG	Surface water	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
	11K-CCK1-3VV/3D23-3D-331023-KEG	sediment	0-0.5			
HR-CCRI-SW/SD24	HR-CCRI-SW/SD24-SW-SJ2026-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD24-SD-SJ1026-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD25	HR-CCRI-SW/SD25-SW-SJ2027-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD25-SD-SJ1027-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD26	HR-CCRI-SW/SD26-SW-SJ2028-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD26-SD-SJ1028-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD27	HR-CCRI-SW/SD27-SW-SJ2029-REG	Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD27-SD-SJ1029-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD28	HR-CCRI-SW/SD28-SW-SJ2030-REG	Surface water	N/A	HR-CCRI-SW/SD28-SW-SJ2031-FD		TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD28-SD-SJ1030-REG	sediment	0-0.5	HR-CCRI-SW/SD28-SD-SJ1031-FD		(Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD29	HR-CCRI-SW/SD29-SW-SJ2032-REG HR-CCRI-SW/SD29-SD-SJ1032-REG	Surface water sediment	N/A 0-0.5			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's. (Also for Sediment - TOC and Grain Size)
HR-CCRI-SW/SD30		Surface water	N/A			TCL VOCs, TCL SVOCs, TAL Metals, Nitroaromatic/Nitramine Explosives, Pesticides, Herbicides and PCB's.
	HR-CCRI-SW/SD30-SD-SJ1033-REG	sediment	0-0.5			(Also for Sediment - TOC and Grain Size)

FD - Field duplicate.

SVOCs - Semivolatile organic compounds.

MS/MSD - Matrix spike/matrix spike duplicate.

TAL - Target analyte list.

N/A - Not applicable

TCL - Target compound list.

QA/QC - Quality assurance/quality control.

TOC - Total organic carbon.

REG - Field sample.

KN314040\CCR\CCRITBLS4-4,4-5,4-6,.xls(Table 4-6)\4/29/03(5:10 PM)

VOCs - Volatile organic compounds.

Table 4-7

Analytical Samples for the Remedial Investigation Former Choccolocco Corridor Ranges, Parcels 94Q, 95Q, 96Q, 97Q, and Associated Ranges Fort McClellan, Calhoun County, Alabama

				Field Samples				EMAX			
	Analysis	Sample	TAT	No. of Sample	No. of	No. of Field	Field	MS/MSD	Trip Blank	Eq. Rinse	Total No.
Parameters	Method	Matrix	Needed	Points	Events	Samples	Dups (10%)	(5%)	(1/ship)	(1/wk/matrix)	Analysis
Former Choccolocco 100 subsurface soil s	•		samples (25	5 groundwater an	d 30 surfa	ace water sam	oles) and 230	soil matrix	samples (10	0 surface soil s	samples,
TCL VOCs	8260B	water	normal	55	1	55	6	3	28	3	98
TCL SVOCs	8270C	water	normal	55	1	55	6	3	0	3	70
TAL Metals	6010B/7000	water	normal	55	1	55	6	3	0	3	70
Explosives	8330	water	normal	55	11	55	6	3	0	3	70
Cl Pesticides	8081	water	normal	55	1	55	6	3	0	3	70
Op Pesticides	8141A	water	normal	55	1	55	6	3	0	3	70
Cl Herbicides	8151	water	normal	55	11	55	6	3	0	3	70
PCB's	8082	water	normal	55	1	55	6	3	0	3	70
TCL VOCs	8260B	soil	normal	90	1	90	9	5	0	5	114
TCL SVOCs	8270C	soil	normal	90	11	90	9	5	0	5	114
TAL Metals	6010B/7000	soil	normal	150	1	150	15	8	0	8	189
Explosives	8330	soil	normal	150	1	150	15	8	0	8	189
CI Pesticides	8081	soil	normal	90	11	90	9	5	0	5	114
Op Pesticides	8141A	soil	normal	90	1	90	9	5	0	5	114
Cl Herbicides	8151	soil	normal	90	1	90	9	5	0	5	114
PCB's	8082	soil	normal	90	1	90	9	5	0	5	114
Lead	6010B	soil	normal	80	1	80	8	4	0	4	100
XRF Metals ^b	6010B	soil	normal	35	11	0	0	0	0	00	0
Also, sediment samp	les will be analyzed f	or the following	g paramete	rs:	***************************************	III BANNAN YANGA MARKAN ARA					
Total Organic Carbon	9060	sediment	normal	30	1	30	0	0	0	0	30
Grain size	ASTM D421/D422	sediment	normal	30	11	30	0	0	0	00	30
	CONTROL CONTRO										
		Former Cho	ccolocco (Corridor Ranges S	Subtotal:	1420	140	74	28	74	1810

^aField duplicate, QA split, and MS/MSD samples were calculated as a percentage of the field samples collected per site and were rounded to the nearest whole number. Trip blank samples will be collected with water matrix samples for VOC analysis only. Assumed four field samples per day to estimate trip blanks. Equipment blanks will be collected once per event whenever sampling equipment is field decontaminated and re-used. They will be repeated weekly for sampling events that last more than 1 week. Assumed 20 field samples will be collected per week to estimate number of equipment blanks.

ASTM - American Socienty of Testing and Materials

CI - Chlorinated

Explosives - Nitroaromatic and Nitramine.

MS/MSD - Matrix spike/matrix spike duplicate.

Op - Organophosphorus

PCB - Polychlorinated biphenyl

QA/QC - Quality assurance/quality control.

SVOCs - Semivolatile organic compounds.

TAL - Target analyte list.

TAT - Turn-around time

TCL - Target compound list.

VOCs - Volatile organic compounds.

Ship samples to:

EMAX Laboratories, Inc. 1835 205th Street Torrance, CA 90501 Attn: Elizabeth McIntyre Tel: 310-618-8889

Fax: 310-618-0818

b XRF Metals - Arsenic, antimony, copper, lead, and zinc; represents approximately 5% of total number of proposed XRF screening locations.